

Compal Confidential

ICW50 Schematics Document


AMD Turion/Sempron + Nvidia MCP67-MV

2007 / 04 / 20 Rev:1.0 FOR Pre-MP

Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	Cover Sheet
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number ICW50 / ICY70 LA-3581P
				Date: Friday, April 20, 2007	Sheet 1 of 42 Rev 1.0

Compal confidential

Project Code: ICW50
File Name : LA-3581P



Security Classification		Compal Secret Data		Title	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	BLOCK DIAGRAM	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number ICW50 / ICY70 LA-3581P
				Date:	Friday, April 20, 2007
				Sheet	2 of 42
				Rev	1.0

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+0.9V	0.9V switched power rail for DDR terminator	ON	ON	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.2VALW	1.2V always on power rail	ON	ON	ON*
+1.2VS	1.2V switched power rail	ON	OFF	OFF
+1.2V_HT	1.2V switched power rail	ON	OFF	OFF
+1.8V	1.8V power rail for DDR	ON	ON	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+2.5VS	2.5V switched power rail	ON	OFF	OFF
+3VALW/+3V/+3VAUX	3.3V always on power rail	ON	ON	ON*
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts
1394	AD20	0	PIROE

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	ADM1032	1001 100X b

EC SM Bus1 address EC SM Bus2 address

Device	Address	Device	Address
Smart Battery	0001 011X b	ADM1032	1001 100X b

MCP67 SM Bus address

Device	Address
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 001Xb

SIGNAL STATE	SLP_S1#	SLP_S3#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)	LOW	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	LOW	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

BOARD ID Table

Board ID	PCB Revision
0	UMA (0V)
1	DISCRETE (3.3V)
2	
3	
4	
5	
6	
7	

SKU ID Table

SKU ID	SKU
0	B - PHASE
1	C - PHASE
2	
3	
4	
5	
6	
7	


BTO Option Table

[illegible]

Security Classification		Compal Secret Data				Title TABLE OF CONTENTS						
Issued Date		2006/08/18		Deciphered Date						2007/8/18		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Size	Document Number		Rev			
							ICW50 / ICV70 LA-3581P		1.0			
						Date:	Friday, April 20, 2007		Sheet	3	of	42


PROCESSOR HYPERTRANSPORT INTERFACE

VLDT_Ax AND VLDT_Bx ARE CONNECTED TO THE LDT_RUN POWER SUPPLY THROUGH THE PACKAGE OR ON THE DIE. IT IS ONLY CONNECTED ON THE BOARD TO DECOUPLING NEAR THE CPU PACKAGE




LAYOUT: Place bypass cap on topside of board


NEAR HT POWER PINS THAT ARE NOT CONNECTED DIRECTLY TO DOWNSTREAM HT DEVICE, BUT CONNECTED INTERNALLY TO OTHER HT POWER PINS
PLACE CLOSE TO VLDTO POWER PINS



FAN Conn






FAN1 Conn



Security Classification		Compal Secret Data		Title	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	AMD CPU HT I/F	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number ICW50 / ICY70 LA-3581P
				Date: Friday, April 20, 2007	Sheet 4 of 42


Processor DDR2 Memory Interface

VDD VTT SUS_CPU IS CONNECTED TO THE VDD VTT SUS POWER SUPPLY THROUGH THE PACKAGE OR ON THE DIE IT IS ONLY CONNECTED ON THE BOARD TO DECOUPLING NEAR THE CPU PACKAGE




Security Classification		Compal Secret Data					
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	AMD CPU DDRII MEMORY I/F		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number		
				Size	ICW50 / ICY70 LA-3581P	Rev	1.0
				Date:	Friday, April 20, 2007	Sheet	5 of 42


ATHLON Control and Debug




HDT Connector



PVT Modify 2007/03/22





U2 CLOSE CPU,
CPU_THERMDA&CPU_THERMDC PLACE
CLOSE TO PROCESSOR WITHIN 1" INCH





Security Classification	Compal Secret Data			Title AMD CPU CTRL. & DEBUG		
Issued Date	2006/08/18	Deciphered Date	2007/8/18			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size C	Document Number ICW50 / ICY70 LA-3581P	Rev 1.0
				Date:	Friday, April 20, 2007	Sheet 6 of 42



PROCESSOR POWER AND GROUND





CPU SOCKET S1 DECOUPLING




DECOUPLING BETWEEN PROCESSOR AND DIMMS PLACE CLOSE TO PROCESSOR AS POSSIBLE




Security Classification	Compal Secret Data		Title
Issued Date	2006/08/18	Deciphered Date	2007/8/18
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			AMD CPU PWR & GND
Size	Document Number	Rev	1.0
C	ICW50 / ICY70 LA-3581P		
Date:	Friday, April 20, 2007	Sheet	7 of 42





















Security Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2006/08/18		Deciphered Date		2007/8/18		Title	
								MCP67 GROUND	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.									
						Size Custom		Document Number	
						ICW50 / ICY70		LA-3581P	
						Date: Friday, April 20, 2007		Rev 1.0	
						Sheet 17		of 42	

- (11) PCIE_MTX_C_GRX_N[0..15] → PCIE_MTX_C_GRX_N[0..15]
(11) PCIE_MTX_C_GRX_P[0..15] → PCIE_MTX_C_GRX_P[0..15]
(11) PCIE_GTX_C_MRX_N[0..15] → PCIE_GTX_C_MRX_N[0..15]
(11) PCIE_GTX_C_MRX_P[0..15] → PCIE_GTX_C_MRX_P[0..15]




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				MXM Connector	
Size	B	Document Number	ICW50 / ICY70 LA-3581P	Rev	
Date:	Friday, April 20, 2007	Sheet	18	of	42


TV-OUT Conn.






LCD POWER CIRCUIT




LCD/PANEL BD. Conn.




Fro CMOS Camera



DVI-D Connector








Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	LVDS & DVI Connector
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				ICW50 / ICY70 LA-3581P	Rev 1.0
				Date: Friday, April 20, 2007	Sheet 20 of 42




If CDROM is Slave
then SD_CSEL= Floating
else SD_CSEL= Low

SATA HDD Conn.(SAS Connector)




Close to SATA HDD

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2006/08/18		Deciphered Date	
2007/8/18		Title		SATA HDD & IDE ODD Connector	
Size B		Document Number		Rev 1.0	
ICW50 / ICY70 LA-3581P		Date:		Friday, April 20, 2007	
Sheet 21		of 42			



SD, MMC, MS, XD multi-function pin define				
MDIO PIN Name	SD Card PIN Name	MMC Card PIN Name	MS Card PIN Name	XD Card PIN Name
MDIO00	SDCD#	MMCCD#		XDCD0#
MDIO01			MSCD#	XDCD1#
MDIO02				XDCE#
MDIO03	SDWP#			XDR/B#
MDIO04	SDPWR0	MMCPWR	MSWR	XDPCR
MDIO05	SDPWR1			XDWP#
MDIO06	SDLED#	MMCLD#	MSLED#	XDLED#
MDIO07				
MDIO08	SDCCMD	MMCCMD	MSBS	XDWE#
MDIO09	SDCLK	MMCCLK	MSCCLK	XDRE#
MDIO10	SDCDAT0	MMCDAT	MSCDAT0	XDCDAT0
MDIO11	SDCDAT1		MSCDAT1	XDCDAT1
MDIO12	SDCDAT2		MSCDAT2	XDCDAT2
MDIO13	SDCDAT3		MSCDAT3	XDCDAT3
MDIO14				XDCDAT4
MDIO15				XDCDAT5
MDIO16				XDCDAT6
MDIO17				XDCDAT7
MDIO18				XDCL
MDIO19				XDAL

Function set pin define				
UDIO3	UDIO4	MSEN	XDEN	Function
Pull-up	Pull-up	Pull-up	Pull-up	Enable SD, XD, MS, MMC Card



Security Classification		Compal Secret Data	
Issued Date	2005/10/06	Deciphered Date	2006/10/06
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			
Title		Compal Electronics, Inc.	
R5C833 1394+Card reader		Rev 1.0	
Size		Document Number	
ICW50 / ICY70 LA-3581P		Date: Friday, April 20, 2007	
Sheet		23 of 42	







For FAN and MXM

For MDC


For DDR Metal Cage

H1 : H_C236BC315D138
H6,H7,H16,H17 : H_C315BC168D165
H25,H26 : H_C236D98
H31,H32,H33 : H_C236BC131D128


Security Classification		Compal Secret Data		Compal Electronics, Inc. Card Reader Conn / Screw		
Issued Date	2005/10/06	Deciphered Date	2006/10/06			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title		
				Size	Document Number	Rev
				Custom	ICW50 / ICY70 LA-3581P	1.0
Date:				Friday, April 20, 2007	Sheet	24 of 42



USB/B Connector





AV-IN Connector CIR



EMI PVT Modify 2007/03/12 Close JP11






Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3VALW	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)






Security Classification			
Issued Date	2006/08/18	Deciphered Date	2007/8/18
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			
Compal Electronics, Inc.			
Title			
MINI CARD / USB-B Conn.			
Size	Document Number	Rev	
B	ICW50 / ICY70 LA-3581P	1.0	
Date:	Friday, April 20, 2007	Sheet	25 of 42

New Card Power Switch

New Card Socket (Left/TOP)




PVT Modify 2007/03/22





SUYIN_020173MR004G533ZR_4P


SUYIN_020173MR004G533ZR_4P

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				NEW CARD & USB Connector	
				Size B	Document Number
				ICW50 / ICY70 LA-3581P	Rev 1.0
				Date: Friday, April 20, 2007	Sheet 26 of 42






To TP/B Conn.




INT_KBD Conn.

(Left)




(Right)




Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2006/08/18				Deciphered Date			
2007/8/18				2007/8/18				Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				BIOS, I/O Port & K/B Connector				Size			
B				Document Number				ICW50 / ICY70 LA-3581P			
Date:				Monday, April 23, 2007				Sheet			
				29				of			
				42				Rev			
				1.0							

	KSO0
KSI1	WL_BTN#
KSI2	BT_BTN#
KSI3	EMAIL_BTN#
KSI4	IE_BTN#
KSI5	E-KEY_BTN#


Check 15.4" K/B Matrix





PVT2 Modify 2007/4/10





MDC Conn.




EMI PVT Modify 2007/3/12



Bluetooth Conn.



9/25 Added for EMI




PVT Value Modify to 453E 2007/3/12

Compal Footprint



4 2
3 1

PVT Modify 2007/3/12


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	Title	MDC / BT / CIR / LED
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RAD DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				ICW50 / ICY70	LA-3581P
				Date: Friday, April 20, 2007	Sheet 30 of 42




Power ON Circuit




Security Classification		Compal Secret Data		Title	
Issued Date	2006/08/18	Deciphered Date	2007/8/18	PWR_OK CIRCUIT/ BTN	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number
				Date: Friday, April 20, 2007	ICW50 / I CY70 LA-3581P
				Sheet 31 of 42	Rev 1.0











HD Audio Codec







Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
	10K	PORT-C (PIN 23, 24)
	5.1K	PORT-D (PIN 35, 36)
SENSE B	39.2K	PORT-E (PIN 14, 15)
	20K	PORT-F (PIN 16, 17)
	10K	PORT-G (PIN 43, 44)
	5.1K	PORT-H (PIN 45, 46)



Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2006/08/18		Deciphered Date		2007/8/18		Title				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								HD Audio Codec ALC268				
								Size B	Document Number			
								ICW50 / ICY70		LA-3581P		Rev 1.0
								Date: Friday, April 20, 2007		Sheet 32	of 42	



Security Classification				Compal Secret Data				Title	
Issued Date				2006/08/18		Deciphered Date		2007/8/18	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				2006/08/18		2007/8/18		DC INTERFACE	
Size				Document Number		ICW50 / ICY70 LA-3581P		Rev	
Date:				Friday, April 20, 2007		Sheet		34 of 42	



ACIN

Precharge detector

	Min.	typ.	Max.
H-->L	14.589V	14.84V	15.243V
L-->H	15.562V	15.97V	16.388V

BATT ONLY

Precharge detector

	Min.	typ.	Max.
H-->L	6.138V	6.214V	6.359V
L-->H	7.196V	7.349V	7.505V

Security Classification

Compal Secret Data

Issued Date

2006/09/01

Deciphered Date

2007/09/01

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.

Title

DCIN/DECTOR

Size B


Document Number

ICW50/ICY70

Rev 1.0

Date: Friday, April 20, 2007




Sheet 35 of 42



PJP2 battery connector

SMART
Battery:
1.BATT+
2.BATT-
3.TS
4.SMC
5.SMD
6.GND
7.GND

PH1 under CPU bottom side :
CPU thermal protection at 90 degree C
Recovery at 70 degree C




Vin Detector		
Min.	typ.	Max.
H-->L	16.976V	17.257V
L-->H	17.430V	18.384V

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/09/01	Deciphered Date	2007/09/01	Title	BATTERY CONN. / OTP
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number ICW50/ICY70
				Date: Friday, April 20, 2007	Sheet 37 of 42

Iada=0~4.74A (90W)

ADP_I = 19.9*Iadapter*Rsense

CP = 85%*Iada ; CP = 4.07A








CP mode
 $I_{input} = (1/0.02) (0.05 * V_{ac1m} / 2.39 + 0.05)$
 where $V_{ac1m} = 1.502V$, $I_{input} = 4.07A$

CC=0.6~4.48A
 $I_{REF} = 0.7224 * I_{charge}$
 $I_{REF} = 0.43V \sim 3.24V$


OVP voltage :
 LI-4S : 18.0V -- BATT-OVP = 2.677V
 BATT-OVP = 0.1487 * BATT+
 LI-3S : 13.50V -- BATT-OVP = 2.007V
 BATT-OVP = 0.1487 * BATT+

BATT Type	Charging Voltage (0x15)	3S/4S#	CHGSEL	CV mode
2800mAH 4S pack	17400mV	LOW	LOW	17.20V
2800mAH 3S pack	13050mV	HIGH	LOW	12.90V
Normal 4S LI-ON Cells	16800mV	LOW	HIGH	16.80V
Normal 3S LI-ON Cells	12600mV	HIGH	HIGH	12.60V
Wake up charge while no communication	-	HIGH	HIGH	12.60V

Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2006/09/01		Deciphered Date		2007/09/01		Title				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						CHARGER						
						Size		Document Number			Rev	
								ICW50/ICY70			1.0	
						Date:		Friday, April 20, 2007		Sheet		38 of 42




Security Classification		Compal Secret Data		Compal Electronics, Inc.					
Issued Date		2006/09/01		Deciphered Date		2007/09/01			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title					
				+0.9VSP/+1.5VSP/+2.5VSP					
				Size		Document Number		Rev	
				Custom		ICW50 / ICY70		1.0	
				Date:				Friday, April 20, 2007	
				Sheet		39		of 42	



VFB=0.5V
 $V_o = VFB * (1 + PR122 / PR127) = 1.805V$
 $I_{peak} = 13.82A$, $I_{max} = 9.68A$
 $Ton = (3.3E-12 * (PR112 + 37K) * (Vout / VBat)) + 50ns$
 $= 3.3E-12 * (820K + 37K) * (1.805 / 19) + 50ns = 0.319us$
 $FDS6670AS: Rds(on) \Rightarrow Typ: 9\ mOhm$
 $Max: 11.5\ mOhm$
 $I_{ocp} = I_{valley} + I_{ripple} / 2$
 $I_{ripple} = (vin - vout) * (Ton / L) = 5.485A$
 $I_{valleymin} = 9E-6 * (PR106 / Rds(ON) * max * 1.4) = 16.826A$
 $I_{valleymax} = 11E-6 * (PR106 / Rds(ON) * typ * 1.2) = 30.657A$
OCP==>19.5685A~33.3995A

VFB=0.5V
 $V_o = VFB * (1 + PR120 / PR121) = 1.25V$
 $I_{peak} = 8.54A$, $I_{max} = 6A$
 $Ton = (3.3E-12 * (PR116 + 37K) * (Vout / VBat)) + 50ns$
 $= 0.2661us$
 $SI4810BDY: Rds(on) \Rightarrow Typ: 16\ mOhm$
 $Max: 20\ mOhm$
 $I_{valleymin} = 9E-6 * (PR119 / Rds(ON) * max * 1.3) = 10.419A$
 $I_{valleymax} = 11E-6 * (PR119 / Rds(ON) * typ * 1.1) = 18.8125A$
 $I_{ripple} = (vin - vout) * (Ton / L) = 2.631A$
 $I_{ocp} = I_{valley} + I_{ripple} / 2$
OCP==>11.7345A~20.128A

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2006/09/01	Deciphered Date	2007/09/01	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				+1.8VALWP/+1.2VALWP	
Size	Custom	Document Number	ICW50/ICY70	Rev	1.0
Date:	Friday, April 20, 2007	Sheet	40	of	42



Version change list (P.I.R. List)

Item	Fixed Issue	Rev.	PG#	Modify List	Date	Phase
1	BOM Change.	0.4	12	Remove R144, R372, C160, C528.		PVT
2	Added SSC for Lan TXCLK. (EMI Request)	0.4	12	Added U40, R525, R526, R527, R528, C682.		PVT
3	Improve Samsung Memory Module compatibility.	0.4	15	Added R540,R541 2.2K pull up +3VS.		PVT
4	Design Modify. (SCH Change)	0.4	15	Change CRT_DET form GPIO_5 to LID#, Add R78 10K. (Bios Request)		PVT
5	BCIC0172 : When Reset or Cold Boot MCP67 ACIN 會漏電到EC.	0.4	15	D24 反向, 47K Pull High 移除.Added R283 200K Pull Down.		PVT
6	RTC Battery 電壓過低.	0.4	16	Added R539 1K.		PVT
7	Design Modify. (SCH Change)	0.4	22	Change Q50.G Pin Net Name to SBPWR_EN.		PVT
8	Added R-C for BUF_25Mhz (EMI Request).	0.4	22	Added R530,C684.		PVT
9	Design Modify for EMI.	0.4	22	Added L59, L60, L61, L62, C685, C686.		PVT
10	解決+3VS 漏電 when enter S3 Mode.	0.4	25,26	Added Q56, Q57, Q58, Q59, R536, R537.		PVT
11	Design Modify for Acer WLAN LED.	0.4	25	JP21.44 Pin Added MINI1_LED# Net, Added R520, R521.		PVT
12	防止 BATT_TEMP, BATT_OVP, ACIN 被干擾.	0.4	27	Added C660, C661, C662.		PVT
13	Design Modify for Power. (65W/95W Detect Function)	0.4	27	U15.98 Pin Added 65W/95W# Net, Added R519 100K to +3VALW.		PVT
14	Design Modify for EMI.	0.4	30	Added C663~C678.		PVT
15	For AUDIO EA Test.	0.4	32	Change C582, C583, C584, C587,C594, C597 to 4.7uF.		PVT
16	解決關機 bo bo 聲問題.	0.4	33	Added Q53,C680.		PVT
17	Design Modify for EMI.	0.4	33	Added L57, L58 for Mic. L63, L64, L65, L66 for SPK. D28 for ESD.		PVT
18	Change Codec Amp to APA2057RI-TRL_TSSOP28.	0.4	33	Change U31 to SA00001QD00, added R523,R524.		PVT
19	Remove PJP14.	0.4	34	Remove PJP14.		PVT
20	Change MCP67-MV form A01 to A02.	0.4	10~17	Change MCP67-MV form A01 to A02.		PVT
21	解決系統時間延遲問題.	0.4	15	Change C503, C504 form 18pF to 6.8pF.		PVT
22	Improve WLAN Module compatibility.	0.3	11,25	Change WLAN Port form PCIE4 to PCIE2.		DVT2
23	Fixed LAN LED work abnormal.	0.3	22	Added D25,D27,D27, U39.		DVT2
24	Change LAN to RTL8211B.	0.2	22	Change Page 22 all compnent.	DVT1	