

Compal Confidential

PEW71_81_91 UMA <LA-6582P> M/B Schematics Document

Intel Arrandale Processor with DDRIII + Ibex Peak-M

2010-06-18


REV:0.2

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/5/12	Deciphered Date	2010/04/15	Title	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev	
				Document Number	401939
Date: Friday, July 02, 2010				Sheet	1 of 48

Compal Confidential

Model Name PEW71_81 UMA
File Name : LA-6582P

ZZZ1
M/B PCB
DA60000IQ00



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/5/12	Deciphered Date	2010/04/15	Title	Schematic, MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401939
				Date:	Friday, July 02, 2010
				Sheet	2 of 48
				Rev	A

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	ON	OFF
+0.75VS	0.75V switched power rail for DDR terminator	ON	OFF	OFF
+1.05VS	1.05V switched power rail for PCH	ON	OFF	OFF
+1.05VS_VTT	1.05V switched power rail (1.05 for AUB CPU)	ON	OFF	OFF
+1.5V	1.5V power rail for DDRIII	ON	ON	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3V_LAN	3.3V power rail for LAN	ON	ON	ON*
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON

External PCI Devices

EC SM Bus1 address

EC SM Bus2 address


Device	Address
Clock Generator (9LRS3199AKLFT, SLG8SP587)	1101 0010b
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb


Project ID / Board ID Table for EC-AD channel



[illegible]

USB 2.0	USB 1.1	Port	4 External USB Port	3 External USB Port	
EHCI1	UHCI0	0	Ext1 Left Low USB	Ext1 Left Low USB	
		1	Ext2 Left High USB	Ext2 Left High USB	
		2	Ext3 Right USB	Ext3 Right USB	
	UHCI1	3			
		UHCI2	4		
			5		
	UHCI3	6			
		7			
EHCI2	UHCI4	8	Camera	Camera	
		9	Card Reader	Card Reader	
	UHCI5	10			
		11	Blue Tooth	Blue Tooth	
	UHCI6	12	1st Min-Card	1st Min-Card	
		13			



Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date		2009/08/01	Deciphered Date	2010/08/01	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					SCHEMATIC,MB A6582		
					Doc No	Document Number	Rev
					401939	A	
					Date	Friday, July 02, 2010	ISheet









Security Classification		Compal Secret Data				Compal Electronics, Inc.										
Issued Date		2009/08/01		Deciphered Date		2010/08/01		Title								
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								SCHEMATIC,MB A6582								
								Size	Document Number		Rev					
								Custom	401939		A					
								Date:			Friday, July 02, 2010		Sheet	9	of	48






Layout Note:
Place near JDIMM1



Layout Note:
Place near JDIMM1.203 & JDIMM1.204



<6> DDR_A_DQS#[0..7]
<6> DDR_A_DQ[0..63]
<6> DDR_A_DM[0..7]
<6> DDR_A_DQS[0..7]
<6> DDR_A_MA[0..15]














DDR3 SO-DIMM A
Change to Reverse Type
8mm High

Compal Electronics, Inc.
SCHEMATIC, MB A6582

Security Classification		Compal Secret Data		Title	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Rev	Document Number
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPAL ELECTRONICS, INC. DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				401939	Rev A
Date: Friday, July 02, 2010				Sheet	10 of 48


<6> DDR_B_DQS#[0..7]
<6> DDR_B_D[0..63]
<6> DDR_B_DM[0..7]
<6> DDR_B_DQS#[0..7]
<6> DDR_B_MA[0..15]

2008/9/8 #400755
Calpella Clarkfield
DDR3 SO-DIMM
VREFDQ Platform
Design Guide Change Details




Layout Note:
Place near JDIMM2

Layout Note: Place these 4 Caps near Command
and Control signals of DIMMB





Layout Note:
Place near JDIMM2.203 & JDIMM2.204






DDR3 SO-DIMM B
Reverse Type
4mm High




Security Classification			Compal Secret Data			Title		
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Rev	Document Number	Compal Electronics, Inc.		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						SCHEMATIC, MB A6582		
						401939	Rev A	
						Date: Friday, July 02, 2010	Sheet 11 of 48	













Clock Generator



PIN 30	CPU_0	CPU_1
0 (Default)	133MHz	133MHz
1	100MHz	100MHz







Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/08/01				Title			
Deciphered Date				2010/08/01				SCHEMATIC,MB A6582			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number				Rev A			
Date				Friday, July 02, 2010				Sheet 12 of 48			




GPIO21	Project
0	NEW50/70/80/90
1	NEW71/91


	GPIO19 PCH_GPIO19	GPIO37 VGA_PRSTNT_L#
dGPU	0	0
iGPU	0	1
SG	1	X





Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2009/08/01		Deciphered Date		2010/08/01		Title		SCHEMATIC,MB A6582	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								Date		Friday, July 02, 2010	
								Sheet		13 of 48	




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401939
				Date	Friday, July 02, 2010
				Sheet	16 of 48
				Rev	A













Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/01	Deciphered Date	2010/08/01	Title	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401939
				Date	Friday, July 02, 2010
				Sheet	19 of 48



LCD POWER CIRCUIT




LED PANEL Conn.




Security Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2009/5/12		Deciphered Date		2010/04/15		Title	
								SCHEMATIC,MB A6582	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Rev	Document Number	Rev	
							401939		
						Date:	Friday, July 02, 2010	Sheet	22

CRT Connector




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/5/12	Deciphered Date	2010/04/15	SCHEMATIC,MB A6582	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number 401939	Rev A
Date: Friday, July 02, 2010		Sheet 23 of 48			




CG0	CG1	CG2	Swing	Pre-amp	Slew-rate
0	0	0	450	0	0
0	0	1	420	0	-3db
0	1	0	450	0	-3db (default)
0	1	1	460	0	-4db
1	0	0	340	0	0
1	0	1	400	2db	0
1	1	0	400	2db	0
1	1	1	420	0	0



NAL00 HDMI connector




Security Classification		Compal Secret Data				Compal Electronics, Inc.			
Issued Date		2009/4/15		Deciphered Date		2010/04/15		Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						SCHEMATIC,MB A6582			
						Size		Document Number	
		Custom		401939		A			
		Date:		Friday, July 02, 2010		Sheet		24 of 48	



Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/5/12		Deciphered Date		2010/04/15		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						SCHEMATIC,MB A6582					
						Document Number				Rev	
						401939				A	
						Date: Friday, July 02, 2010				Sheet 25 of 48	


For Wireless LAN




Del 3G / GPS Module Connect

Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3V	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)

FAN1 Conn





Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2009/5/12	Deciphered Date	2007/12/25	Title	SCHMATIC, MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Rev B Document Number 401939	Rev A
Date: Friday, July 02, 2010				Sheet	26 of 48




Security Classification		Compal Secret Data		Title	
Issued Date	2008/08/10	Deciphered Date	2009/08/10	Document Number	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer	401939
Date: Friday, July 02, 2010				Sheet	27 of 48

LAN Connector




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2009/08/10	Title	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401939
				Date	Friday, July 02, 2010
				Sheet	28 of 48



Card Reader RTS5138 / RTS5137
(only SD+MMC function)






Card Reader Connector



Bluetooth Conn.




Left side
USB Port x 1







USB/B Conn.

(Port 0,2)



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/5/12	Deciphered Date	2009/12/31	Title	SCHMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc No	401939
				Date	Friday, July 02, 2010
				Sheet	29 of 48






ENE suggestion SPI Frequency over 66MHz
SST: 50MHz
MXIC: 70MHz
ST: 40MHz





To BTN/B Conn.

KSO0	KSO3
KSI1 KSI2 KSI3 KSI4 KSI5	Program_BTN# Volum up_BTN# Volum down_BTN#

Power Button





LED/B LEFT




Security Classification		Compal Secret Data				Compal Electronics, Inc.							
Issued Date		2009/5/12		Deciphered Date		2009/12/31		Title		SCHEMATIC,MB A6582			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.										Document Number		Rev A	
										401939			
Date:								Friday, July 02, 2010		Sheet		32 of 48	

GAIN0	GAIN1	AV(inv)	Ri
0	0	6dB	90k
0	1	10dB	70k
1	0	15.6dB	45k
1	1	21.6dB	25k




Int. Speaker Conn.




Security Classification		Compal Secret Data				Compal Electronics, Inc.									
Issued Date		2008/08/10		Deciphered Date		2009/08/10		Title		SCHEMATIC,MB A6582					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.										Document Number		Rev			
										Customer		401939		A	
										Date:		Friday, July 02, 2010		Sheet	








+5VALW TO +5VS



+3VALW TO +3VS






+1.5V to +1.5VS





For LAM Common mode noise
200911102330

Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/5/12				Deciphered Date			
2009/5/12				2009/12/31				Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number				SCHEMATIC,MB A6582			
Date: Friday, July 02, 2010				401939				Rev A			
Sheet				35				of 48			






PH1 under CPU botten side :
CPU thermal protection at 92 degree C
Recovery at 56 degree C



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title	SCHEMATIC, MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401939
				Date	Friday, July 02, 2010
				Sheet	37 of 48
				Rev	A

Note:
Use TPS51125 IC can remove RTC refernece LDO
Use TPS51427 IC must keep RTC refernece LDO






Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/02/04	Deciphered Date	2010/02/04	Title	SCHEMATIC, MB A6582	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Doc. Number	Rev	
				401939	A	
				Date:	Friday, July 02, 2010	Sheet 38 of 48

Iada=0~4.74A(90W/19V=4.736A)
Iada=0~3.42A(90W/19V=3.421A)


ADP_I = 19.9*Iadapter*Rsense

CP = 85%*Iada ; CP = 4.07A
CP = 85%*Iada ; CP = 2.91A






Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number
				401939
				Rev A
				Date: Friday, July 02, 2010
				Sheet 41 of 48



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2008/08/10	Deciphered Date	2009/08/10	Title	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number 401939	Rev A
Date: Friday, July 02, 2010		Sheet 42 of 48			




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/4/15	Deciphered Date	2010/04/15	Title	SCHEMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	401939
				Date	Friday, July 02, 2010
				Sheet	43 of 48
				Rev	A

```


Intel Auburndale CPU(Integrate Graphics) Ipeak=22A Imax=15A
OCP calculation : (Assume DCR=1.1m ohm
G1=Rn/(Rn+Rsum)=0.617
where Rn=PR277 // (PR274+PH3)=5.875k ohm
Rsum=PR269=3.65k ohm
LL=2*Rdroop*G1*DCR/Ri= 6.96m V/A
where Rdroop=PR271=8.66k ohm, Ri=PR283=1.69k ohm
Iocp=OCP Threshold*Rdroop/LL=24.89A

```



2009-1214 common circiut modify.

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/4/15	Deciphered Date	2010/04/15	Title	SCHEMATIC, MB A6582	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size C	Document Number	Rev A
					401939	
Date: Friday, July 02, 2010				Sheet	44	of 48



PH0	PH1	# of PH
0	1	2
1	1	3

	HFM_VID	HFM_Icc	LL	Icc_TDC	Icc_Dyr
Auburndale 45W	1.075	50	1.9m	37	35
Auburndale 35W	0.975	38	1.9m	29	27
Clarksfield SV	0.95	51	1.9m	38	39
Clarksfield XE	0.95	65	TBD	48	TBD

Version change list (P.I.R. List)

Page 1 of 2 for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	Pre-Charge circiut update.	Pre-Charge circiut disable in EVT, now modify and enable it.	0.1	39	Change PR353 from SD034470280 to SD034200380.	2010/06/08	to PVT
2					Change PR371 from SD034220280 to SD034470280.		
3					Change PR587 from SD034100380 to SD034470280.		
4	Pre-Charge circiut update.	Pre-Charge circiut disable in EVT, now modify and enable it.	0.1	38	Change PR590 from SD034200280 to SD034143280.	2010/06/08	to PVT
5	Pre-Charge circiut update.	Pre-Charge circiut disable in EVT, now modify and enable it.	0.1	40	Change PR591 from SD028470280 to SD028100380.		
6	EMI fail, add 3/5V snubber and Boost Resister to silve it.	EMI request to solve EMI issue.	0.1	38	Add PC1027 SE074222K80(S CER CAP 2200P 0402 50V7K)		
7	EMI fail, add 1.5V snubber.	EMI request to solve EMI issue.	0.1	42	Change PQ111 from SB000006800 to SB301150200	2010/06/08	to PVT
8					Add PQ102 and PQ103 SB301150200.		
9					Add PR592 SD034200380.		
10	EMI fail, add 1.05V snubber. and Boost Resister.	EMI request to solve EMI issue.	0.1	43	Change PR386 from SD011000080 to SD011100180.	2010/06/08	to PVT
11	EMI fail, add GFX_CORE snubber.	EMI request to solve EMI issue.	0.1	44	Add PR388, PR390, PR391 SD011100180.		
12	HW power sequence modify.	HW request.	0.1	43	Add PD14 SC100001Y80 LL4148_LL34-2		
13	BOM unique.	BOM unique.	0.1	38	Add PR566 and PR567 SD001470B80 S RES 4.7 1206 5%	2010/06/08	to PVT
14	EMI request.	EMI request.	0.1	38	Add PC1012 and PC1013 SE074681K80 S CER CAP 680P 0402 50V7K		
15	EMI request.	EMI request.	0.1	44	Change PR564 and PR565 from SD013000080 to SD013220B80		
16	Sourcer request to change a common part.	Sourcer request.	0.1	38	Add PR415 SD001470B80 4.7 1206 5%.	2010/06/08	to PVT
17	Per sourcer request.	Sourcer request to change PC331 from SE00000R700 to SE026224K80 for common part.	0.1	43	Add PC294 SE025681K80 S CER CAP 680P 50V K X7R 0603		
18	CPU transient issue.	Need modify PC362 to 330P due to transient fail.	0.1	45	Add PR465 SD001470B80 4.7 1206 5%.		
19	Per sourcer request.	Per sourcer request.	0.1	43	Add PC332 SE025681K80 S CER CAP 680P 50V K X7R 0603	2010/06/08	to PVT
20	Cost down.	Cost down 3VALWP and Charger Low Side MOS.	0.1	38	Change PR461 from SD013000080 to SD013220B80		
21	Cost down.	Cost down +1.5VP Low side MOS and choke.	0.1	42	Add PR268 SD001470B80 4.7 1206 5%.		
22	Cost down.	re-caculate 1.5VP OCP.	0.1	42	Add PC199 SE025681K80 S CER CAP 680P 50V K X7R 0603	2010/06/08	to PVT
23					Change PR466 from SD034576280 S RES 1/16W 57.6K +-1% 0402 to SD034806280 S RES 80.6K 0402 1%)		
					Change PC331 from SE076104K80 S CER CAP .1U 16V K X7R to SE00000R700 S CER CAP 0.22U 16V K X7R 0402		
					chnage PQ101 from SB301150000 to SB301150200.	2010/06/08	to PVT
					Add PC1028 SE042104K80 S CER CAP .1U 25V K X7R 0603	2010/06/08	to PVT
					Add PC1029 SE042104K80 S CER CAP .1U 25V K X7R 0603	2010/06/08	to PVT
					Change PC1019 from SE00000GC00 S CER CAP 2.2U 10V K X7R 0603 to SE000003H00 S CER CAP 2.2UF 10V K X5R 0603	2010/06/08	to PVT
					change PC331 from SE00000R700 to SE026224K80	2010/06/08	to PVT
					Change PC362 from SE074561K80 S CER CAP 560P 50V K X7R 0402 to SE074331K80 S CER CAP 330P 50V K X7R 0402	2010/06/08	to PVT
					chnage PQ39/PQ82 from SB000008L80 to SB00000HL00.	2010/06/08	to PVT
					Change PQ98 from SB00000AJ00 to SB000009580(A04468).	2010/06/08	to PVT
					Change PQ64 from SB00000CG00 to SB000009580(A04468).		
					chnage PQ74 from SB000009F80 to SB00000AJ00(A04712).		
					CHnage PL32 from SH000009U00 to SH000009680.	2010/06/08	to PVT
					Change PR417 from SD034110280 to SD034182280.	2010/06/08	to PVT

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Title	SCHMATIC,MB A6582
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401939
Date: Friday, July 02, 2010				Sheet	46 of 48

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
24	Cost down.	re-caculate +3VALWP OCP.	0.1	38	Change PR562 from SD034107380 to SD034137380.	2010/06/08	to PVT
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							

Version change list (P.I.R. List)

Item	Phase	PAGE	DATE	Modifycatio list	Purpose
1	EVT		04 / 08 04 / 16 04 / 21 04 / 26 04 / 27 04 / 29 04 / 29 05 / 03 05 / 03 05 / 06 05 / 07 05 / 10 05 / 11 05 / 12 05 / 13	N/A Modify RTC SCH Change LAN to AR8152 Update Power SCH Update AND Gate symbol - U1 / U2 / U6 / U7 / U19 Update Power MOS symbol - U24 / U25 / U26 C196 change to 1U for INTEL design CLK GEN del C35 / C36 / C30 / C31 / C32 / C33 / C34 / L3 (for 3G@ and @ function) Q4+Q6 change to 2N7002DW Update U8 symbol Add DMIC function Modify USB define. Update Power SCH Add R17 for DMIC power Update Power SCH Change LAN to 61GA&10/100 co-lay Del R307 (LVDS conn.) Change +1.05VS_VTT to +1.05VS (CLK GEN) Change C842 / C850 / C854 / C656 to SE080105K80 1U_0603_10V6K Change R940 to 28K (S3 Power sequence) SW T1 pin define (LAN) Change R907 (0 0603) to 0 1206 5% Remove C40 / C41 / C42 / C43 / C44 Change FAN Conn. Update Power SCH Change LAN to BCM57780 61GA Del R637 / R639 / R640 / R645 / R647 / R648 (AUDIO) Del DMIC Update Power SCH Update Power SCH Add C49 / C50 (EC B+) Update Power SCH C764 / C765 change to 18P 0402_50V8J (EC) Reserve D13 / D24 / D30 (ESD) U17 change to RT55137 (SA000043500) Card reader Update Power SCH	
			06 / 01 06 / 02 06 / 03 06 / 04 06 / 10	Unpop L11 / C247 & Pop R304 for cost down Unpop C764 / X2 & Pop R13 & C765 Change to 100K for EC remove Crystal Pop R834 & R835 change to 200K for Project ID Unpop D24 / D30 Unpop R690 / R691 Pop C49 / C50 For HDMI Unpop R753 / R757 , Add R754 / R758 to 0 ohm. Change R759 to 3.9K. Change R755 to 4.7K ohm , Unpop R748. Unpop R778. R833 / R292 0 0805 change to 0 0603. C190 / C191 & C1135 / C1136 change to 33P 0402 50V8J for Vender test report Unpop C774~C799 for EMI cost down. Update Power SCH Add T25 / T26 / T27	