

ZZZ1

PCB
DAZ@

PJP1

45@DCIN

ZZZ2

LA-5981P
DA2@

ZZZ3

LS-5981P
DA2@

ZZZ4

LS-5982P
DA2@

ZZZ5

LS-5983P
DA2@

ZZZ6

LS-5984P
DA2@

ZZZ7

LS-5986P
DA2@

Compal Confidential

NCQF0 M/B Schematics Document

Intel Arrandale/Clarkfield Processor with DDRIII + Ibex Peak-M

2010-04-18

REV : 1 . A


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Cover Page	
				Size	Document Number
				Custom	NCQF0 M/B LA-5981P Schematic ^{1.0}
				Date	Sunday, April 18, 2010
				Sheet	1 of 63

Compal Confidential

Model Name : NCQF0
File Name : LA5981P

Fan Control
page 44

Clock Generator
IDT: 9LRS3199AKLFT
SILEGO: SLG8SP587
133/120/100/96/14.318MHZ to PCH
27MHz no SSC to VGA
page 12



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				NCQF0 M/B LA-5981P Schematic	
				Date:	Rev
				Sunday, April 18, 2010	1.0
				Sheet	2 of 63

Power Plane	Description	S1	S3	S5	DGPU (UMA)	DGPU (DIS)
VIN	Adapter power supply (19V)	N/A	N/A	N/A		
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A		
+CPU_CORE	Core voltage for CPU	ON	ON	OFF		
+0.75VS	0.75V switched power rail for DDR terminator	ON	OFF	OFF		
+1.05VS	1.05V switched power rail for PCH	ON	OFF	OFF		
+1.1VS_VTT	1.1V switched power rail (1.05 for AUB CPU)	ON	OFF	OFF		
+1.5V	1.5V power rail for DDRIII	ON	ON	OFF		
+1.5VS	1.5V switched power rail	ON	OFF	OFF		
+1.8VS	1.8V switched power rail	ON	OFF	OFF		
+3VALW	3.3V always on power rail	ON	ON	ON*		
+3V	3.3V power rail for PCH	ON	ON	ON		
+3V_LAN	3.3V power rail for LAN	ON	ON	ON*		
+3VS	3.3V switched power rail	ON	OFF	OFF		
+5VALW	5V always on power rail	ON	ON	ON*		
+5VS	5V switched power rail	ON	OFF	OFF		
+5V	5V power rail for PCH	ON	ON	ON		
+VSB	VSB always on power rail	ON	ON	ON*		
+RTCVCC	RTC power	ON	ON	ON		
+5VSDGPU	5V power rail for GPU				OFF	ON
+1.5VSDGPU	1.5V power rail for VRAM				OFF	ON
+1.8VSDGPU	1.8V switched power rail for GPU				OFF	ON

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts
--------	--------	-----------	------------

EC SM Bus2 address

Device	Address	Device	Address
Smart Battery	0001 011X b		

Device	Address
Clock Generator (9LRS3199AKLFT, SLG8SP587)	1101 0010b
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb
ISL90727	0101 1100b
ISL90728	0111 1100b

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1 (Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	V _{AD_BID} min	V _{AD_BID} typ	V _{AD_BID} max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V


Board ID	PCB Revision
★ 0	0.1
1	
2	
3	
4	
5	
6	
7	

BTO Item	BOM Structure
DIS Only	DIS@
DGPU	VGA@
Broadway	WAY@
Madison	MAD@
Park	PAR@
Switchable Graphics	SG@

USB 2.0	USB 1.1	Port	4 External USB Port
EHCI1	UHCI0	0	USB Conn.
		1	USB/B
	UHCI1	2	eSATA USB
		3	CMOS Camera
	UHCI2	4	Mini Card 1
		5	Mini Card 2
	UHCI3	6	
		7	
EHCI2	UHCI4	8	USB Conn.
		9	
	UHCI5	10	Blue Tooth
		11	Finger Print
	UHCI6	12	
		13	


Switchable Graphics (PARK) SKU: SG@/VGA@/PAR@
Switchable Graphics (MADISON) SKU: SG@/VGA@/MAD@
DIS ONLY (BROADWAY): DIS@/VGA@/WAY@

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	Notes List
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number NCQF0 M/B LA-5981P Schematic
				Date: Sunday, April 18, 2010	Sheet 3 of 63 Rev 1.0



eDP Signals Mapping

eDP Singal	PEG Singals	Lane Reversal
eDP_TX0	PEG HTX_C_GRX_P15	PEG HTX_C_GRX_P0
eDP_TX#0	PEG HTX_C_GRX_N15	PEG HTX_C_GRX_N0
eDP_TX1	PEG HTX_C_GRX_P14	PEG HTX_C_GRX_P1
eDP_TX#1	PEG HTX_C_GRX_N14	PEG HTX_C_GRX_N1
eDP_TX2	PEG HTX_C_GRX_P13	PEG HTX_C_GRX_P2
eDP_TX#2	PEG HTX_C_GRX_N13	PEG HTX_C_GRX_N2
eDP_TX3	PEG HTX_C_GRX_P12	PEG HTX_C_GRX_P3
eDP_TX#3	PEG HTX_C_GRX_N12	PEG HTX_C_GRX_N3
eDP_AUX	PEG GTX_C_HRX_P13	PEG GTX_C_HRX_P2
eDP_AUX#	PEG GTX_C_HRX_N13	PEG GTX_C_HRX_N2
eDP_HPD#	PEG GTX_C_HRX_P12	PEG GTX_C_HRX_P3



CFG0 - PCI-Express Configuration Select

*1:Single PEG
0:Bifurcation enabled


CFG3 - PCI-Express Static Lane Reversal


*1 :Normal Operation
0 :Lane Numbers Reversed
15 -> 0, 14 -> 1, ...


CFG4 - Display Port Presence



*1:Disabled; No Physical Display Port attached to Embedded Display Port
0:Enabled; An external Display Port device is connected to the Embedded Display Port

*:Default













Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	PROCESSOR (6/6) VSS	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Custom	NCQF0 M/B LA-5981P Schematic	
				Date:	Sunday, April 18, 2010	Sheet 9 of 63











10/9 Change L39 part number
from SM010014520 to SM01000AX00




10/9 Change L37 part number
from SM010014520 to SM01000AX00





PIN 30	CPU_0	CPU_1
0 (Default)	133MHz	133MHz
1	100MHz	100MHz




Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	Clock Generator (CK505)	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Custn	NCQF0 M/B LA-5981P Schematic	1.0
				Date:	Sunday, April 18, 2010	Sheet 12 of 63




PCH Pin	RefDes	PCH JTAG Pre-Production		PCH JTAG Production
		ES1	ES2	★ MP
PCH_JTAG_TDO	R716	No Install	200ohm	No Install
	R713	No Install	100ohm	No Install
	R722	200ohm	200ohm	No Install
PCH_JTAG_TMS	R725	100ohm	100ohm	No Install
PCH_JTAG_TDI	R715	200ohm	200ohm	No Install
	R712	100ohm	100ohm	No Install
PCH_JTAG_TCK	R277	51ohm	51ohm	51ohm
PCH_JTAG_RST#	R304	20Kohm	20Kohm	No Install
	R303	10Kohm	10Kohm	No Install




For PCIE LAN



For Wireless LAN




For CardReader




2/10 PCIE7, PCIE8 not support on HM55

For PCIE LAN




For Wireless LAN




For Mini2



For CardReader



3/1 Add R326 (for use JMB380 Ver.C)




9/14 Change to +3VALW(Follow CRB1.1)

PCH_GPIO25 R243 1 2 10K 0402 5%

U60B 9/14 Change PN of U60 from SA00002KV0L to SA00003NI20

REV1.0


PCI-E*



9/10 Change symbol of Q21 to SC70-3

10/5 Change Bom structure of R571 to DIS@(Follow DG2.0)


Layout guide 1.52 update




10/5 Change Bom structure of R593/Y4/C681/C682 to UMA@(Follow DG2.0)

9/14 Add R374/R239/R375/R376(Project ID use)

Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/08/25		Deciphered Date		2010/08/25		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						PCH (2/9) PCIE, SMBUS, CLK					
						Size		Document Number		Rev	
						Custom		NCQF0 M/B LA-5981P Schematic		1.0	
						Date:		Sunday, April 18, 2010		Sheet 14 of 63	





<29,30> DGPU_SELECT#

<29> DGPU_PWMSEL#

<5,33,39> PLT_RST#

<39> CLK_PCI_LPC
<14> CLK_PCI_FB


2008/1/6 2009MOW01 change to 22 ohm



PCI

USB


IBEXPEAK-M_FCBGA107



9/4 NC

9/4 NC

9/4 NC




USB Conn.(HS) JUSB1
USB/B
eSATA USB Conn.
CMOS Camera (LVDS)
Mini Card(WLAN)
Mini Card(Mini2)

USB Conn.(HS) JUSB2
Bluetooth
Fingerprint

EHCI 1

EHCI 2




Danbury Technology Enabled	
NV_ALE	High = Enabled Low = Disabled

DMI Termination Voltage	
NV_CLE	Set to Vss when LOW Set to Vcc when HIGH

(For USB Port0)
(For USB Port1)
(For eSATA USB Port)
(For USB Port8)

OC[0..3] use for EHCI 1
OC[4..7] use for EHCI 2




10/27 Change power net from +3V to +3VALW


Boot BIOS Strap		
PCI_GNT#0	PCI_GNT#1	Boot BIOS Location
0	0	LPC
0	1	Reserved (NAND)
1	0	PCI
1	1	SPI


A16 swap override Strap/Top-Block Swap Override jumper	
PCI_GNT#3	Low = A16 swap High = Default



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	PCH (5/9) PCI, USB, VRAM
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	NCQF0 M/B LA-5981P Schematic
				Date	Sunday, April 18, 2010
				Sheet	17 of 63



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	PCH (6/9) GPIO, CPU, MISC
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	NCQF0 M/B LA-5981P Schematic
				Date:	Sunday, April 18, 2010
				Sheet	18 of 63
				Rev	1.0









9/14 Change poewr net to +1.0VSDGPU


Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	Mannhattan PCIE / LVDS
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Custom	0
				NCQF0 M/B LA-5981P Schematic	
Date:	Sunday, April 18, 2010	Sheet	22	of	63

Strap Name		Pin Straps description	Default
TX_PWRS_ENB	GPIO0	Transmitter Power Saving Enable 0: 50% Tx output swing for mobile mode 1: full Tx output swing (Default setting for Desktop)	0
TX_DEEMPH_EN	GPIO1	PCI Express Transmitter De-emphasis Enable 0: Tx de-emphasis disabled for mobile mode 1: Tx de-emphasis enabled (Default setting for desktop)	0
BIF_GEN2_EN	GPIO2	0= Advertises the PCI-E device as 2.5 GT/s capable at power-on 1= Advertises the PCI-E device as 5.0 GT/s capable at power-on 5.0 GT/s capability will be controlled by software	0
CONFIG[1] CONFIG[2] CONFIG[0]	GPIO13 GPIO12 GPIO11	GPIO13,12,11 (config 2,1,0) : a) If BIOS_ROM_EN = 1, then Config[2:0] defines the ROM type. b) If BIOS_ROM_EN = 0, then Config[2:0] defines the primary memory aperture size. memory apertures CONFIG[3:0] 128 MB 000 256 MB 001 64 MB 010	001
BIOS_ROM_EN	GPIO22	Enable external BIOS ROM device 0: Disable, 1: Enable	0
AUD[1] AUD[0]	HSYNC VSYNC	00: No audio function; 10: Audio for DisplayPort only; 01: Audio for DisplayPort and HDMI if adapter is detected; 11: Audio for both DisplayPort and HDMI	11
SMS_EN_HARD	H2SYNC	Can be unconnected if not used.	0
VIP_DEVICE STRAP_DIS	V2SYNC	Can be unconnected if not used.	0


Location	VRAM_ID3	VRAM_ID2	VRAM_ID1	VRAM_ID0
VRAM				
ATI(8pcs)1GB	0	1	0	0
Samsung(8pcs)1GB	0	1	0	1
Hynix(8pcs)1GB	0	1	1	0
Samsung(8pcs)128*16	1	1	0	1
Hynix(8pcs)128*16	1	1	1	0

Location	VRAM_ID3	VRAM_ID2	VRAM_ID1	VRAM_ID0
VRAM				
ATI(8pcs)1GB	0	1	0	0
Samsung(8pcs)1GB	0	1	0	1
Hynix(8pcs)1GB	0	1	1	0
Samsung(8pcs)128*16	1	1	0	1
Hynix(8pcs)128*16	1	1	1	0







Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date		2009/08/25	Deciphered Date	2010/08/25	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Mannhattan Memory		
					Size	Document Number	Rev
					Custom	NCQF0 M/B LA-5981P Schematic	1.0
					Date:	Sunday, April 18, 2010	Sheet




Compal Electronics, Inc.			
Title			
Mannhattan Power/GND			
Size	Document Number	Rev	
Custom	NCQF0 M/B LA-5981P Schematic	1.0	
Date:	Sunday, April 18, 2010	Sheet	25 of 63












Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Mannhattan Power/GND	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	NCQF0 M/B LA-5981P Schematic
				Date:	Sunday, April 18, 2010
				Sheet	26 of 63








1/14 Change PN of Q6 from SB00000A000 to SB00000D900(material issue)

LCD POWER CIRCUIT



Security Classification		Compal Secret Data		Title	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	LVDS Connector	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	NCQF0 M/B LA-5981P Schematic
				Date	Sunday, April 18, 2010
				Sheet	29 of 63

CRT Connector




9/14 Change to RP for layout request
Michael

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2009/08/25	Title	CRT Connector
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				B NQCF0 M/B LA-5981P Schematic	
				Date: Sunday, April 18, 2010	Sheet 30 of 63


Place closed to JHDMI1

9/14 Change Bom structure from DIS @ to VGA@




4/2 Change PN of Q61 from SB570020110 to SB000008J10


9/23 Change symbol of Q61 to SOT23-3




10/28 Del RP26, Add R772/R781=0 ohm(0402_5%)



10/28 Del RP27, Add R784/R785=0 ohm(0402_5%)




10/28 Del RP28, Add R787/R788=0 ohm(0402_5%)



10/28 Del RP29, Add R792/R794=0 ohm(0402_5%)

0914 Change to RP Michael



9/14 Add Q85(Bv Vivian)

+3VS_DELAY

Q85A DMN66DLW-7 2N_SOT363-6

Q85B DMN66DLW-7 2N_SOT363-6

VGA@

HDMIAT_R

HDMICKL_R

C44 12P_0402_50V8J


C48 12P_0402_50V8J

9/14 Change Bom structure of C44/C48 from DIS @ to @
1/14 Change PN of Q85 from SB000000AR00 to SB000000D900(material issue)


<23> VGA_HDMI_SDATA

<23> VGA_HDMI_SCLK


10/5 Change Bom structure of Q85 from DIS @ to VGA@



9/11 Add R20=10Kohm



9/14 Add R538/R544 by Vivian




11/9 Change symbol of JHDMI1 from SP060003Z00 to DC232000A00

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				HDMI Level Shife & Conn	
Size	Custom	Document Number	NCQF0 M/B LA-5981P Schematic	Rev	1.0
Date:	Sunday, April 18, 2010	Sheet	31	of	63


HDD

SATA HDD Conn.




ODD



SATA ODD Conn.





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				NCQF0 M/B LA-5981P Schematic	
				Date:	Rev
				Sunday, April 18, 2010	1.0
				Sheet	63
				32	of



LAN Connector





2/25 Add C936-C938(EMI request)






Security Classification	Compal Secret Data			Title	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	LAN Magnetic & RJ45	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				NCQF0 M/B LA-5981P Schematic	Rev 1.0
				Date: Sunday, April 18, 2010	Sheet 34 of 63


Lid Switch




Touch Pad



RTC









CIR





Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				Deciphered Date				Title			
2009/08/25				2010/08/25				LID/RTC/CIR			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size				Rev			
				Document Number				1.0			
				NCQF0 M/B LA-5981P Schematic							
				Date				Sheet			
				Sunday, April 18, 2010				35 of 63			


eSATA








HS USB Port




Security Classification		Compal Secret Data				Compal Electronics, Inc.						
Issued Date		2009/08/25		Deciphered Date		2010/08/25		Title				
						USB / eSATA						
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Size	Document Number	Rev				
						Custom	NCQF0 M/B LA-5981P Schematic	1.0				
						Date:	Sunday, April 18, 2010	Sheet 36 of 63				
C				D								







11/9 Change symbol of R41 from SD028100280 to SD028100380(10k ohm to 100k ohm)

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				WLAN&MINI	
Size	Document Number	Rev		1.0	
Custom	NCQF0 M/B LA-5981P Schematic				
Date:	Sunday, April 18, 2010	Sheet	38	of	63







BIOS



Power Conn




LED




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				BIOS, I/O Port & K/B Connector	
Size B	Document Number	NCQF0 M/B LA-5981P Schematic		Rev	1.0
Date:	Sunday, April 18, 2010	Sheet	40	of	63



Power Button



Power ON Circuit




Security Classification		Compal Secret Data		Compal Electronics, Inc.			
Issued Date		2009/08/25		Deciphered Date		2010/08/25	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title			
				Power OK/PBN/TP Lock/LED			
				Size	Document Number	Rev	
		B		NCQF0 M/B LA-5981P Schematic		1.0	
Date		Sunday, April 18, 2010		Sheet		41 of 63	

[illegible]


Sense Pin	Impedance	Codec Signals
SENSE A		PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
		PORT-C (PIN 23, 24)
SENSE B	39.2K	PORT-E (PIN 32, 34)
	20K	PORT-F (PIN 33, 35)
		PORT-H (PIN 37)

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	HD Audio Codec ALC669X	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number	Rev 1.0
				<i>NCQF0 M/B LA-5981P Schematic</i>		
				Date:	Sunday, April 18, 2010	Sheet 42 of 63




Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Amplifier & Audio Jack&USB		
				Size	Document Number	Rev
				Customer	NCQF0 M/B LA-5981P Schematic	1.0
Date: Sunday, April 18, 2010				Sheet	43	of 63

FAN1 Conn



Screw




NON-PDH

2/25 Change footprint of H22




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				Date:	Rev
				Sunday, April 18, 2010	NCQF0 M/B LA-5981P Schematic 1.0
				Sheet	44 of 63

+5VALW TO +5VS





+3VALW TO +3VS





+1.5V to +1.5VS


Optional, if +1.5VS can combine with +1.5V_1



10/9 Delete R428, R431 and Q36
(Remove SBPWR_EN# Function)




For Calpella CPU S3 DRAM Power
(1.5V_CPU VDDQ)




Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				Deciphered Date				Title			
2009/08/25				2010/08/25				DC Interface			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B				Document Number			
								NCQF0 M/B LA-5981P Schematic			
								Date: Sunday, April 18, 2010			
								I Sheet 45 of 63			



+5VS to +5VSDGPU



+1.5V to +1.5VSDGPU Transfer






+1.8VS to +1.8VSDGPU Transfer





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				NCQF0 M/B LA-5981P Schematic	Rev 1.0
				Date: Sunday, April 18, 2010	Sheet 46 of 63

On board conn is DC301001Y00
Cable is DC301009E00 (Blue)
2nd is DC30100AE00 (Blue)




Vin Dectector

	Min.	Typ	Max.
H-->L	16.976V	17.525V	17.728V
L-->H	17.430V	17.901V	18.384V



Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2009/08/25				Deciphered Date			
2010/08/25				Title				DCIN & DETECTOR			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size				Document Number			
Customer				NCQF0 M/B LA-5981P Schematic				Rev			
Date:				Sunday, April 18, 2010				Sheet			
				47				of			
				62							



Reference only!! Not SPEC

PH1 under CPU botten side :



CPU thermal protection at about 92 degree C

Recovery at about 56 degree C



PH2 under FAN down side :

CPU thermal protection at about 82 degree C

Recovery at about 56 degree C



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				BATTERY CONN / OTP	
Size	Custom	Document Number	NCQF0 M/B LA-5981P Schematic	Rev	0.1
Date:	Sunday, April 18, 2010	Sheet	48	of	62



ACIN


Precharge detector

	Min.	typ.	Max.
H-->L	14.589V	14.84V	15.243V
L-->H	15.562V	15.97V	16.388V

BATT ONLY

Precharge detector

	Min.	typ.	Max.
H-->L	6.138V	6.214V	6.359V
L-->H	7.196V	7.349V	7.505V





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	PRECHARGE
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number NCQF0 M/B LA-5981P Schematic
				Date	Sunday, April 18, 2010
				Sheet	49 of 62
				Rev	0.1

Iada=0~4.74A (90W/19V=4.737A)
Iada=0~3.42A (65W/19V=3.421A)

ADP_I = 19.9*Iadapter*Rsense

90W: CP = 85%*Iada ; CP = 4.026A
65W: CP = 85%*Iada ; CP = 2.908A





$$I_{ocp} = (I_v + I/2) / 1.3;$$



$$I_v = (5\mu A * 301K) / (10 * 18m) = 8.36A;$$

$$I = (19 - 5) / 19 * 4.7\mu H * 400K = 1.96A;$$


$$I_{ocp} = (8.36 + 1.96 / 2) = 9.34A$$

Security Classification		Compal Secret Data		<i>Compal Electronics, Inc.</i>			
Issued Date		2009/08/25	Deciphered Date	2010/08/25	Title	3VALW/3VALW	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Size	Document Number	Rev
					Custom	NCQF0 M/B LA-5981P Schematic	0.1
					Date:	Sunday, April 18, 2010	Sheet


Layout note:
Keep the FB trace as short as possible.
Don't place test points on FB trace if possible.





Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom
				Document Number NCQF0 M/B LA-5981P Schematic
				Rev 0.1
				Date: Sunday, April 18, 2010
				Sheet 52 of 62




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				+1.0VSDGPU	
Size	Document Number	Rev			0.1
Custom	NCQF0 M/B LA-5981P Schematic				
Date:	Sunday, April 18, 2010	Sheet	53	of	62









Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title +1.1VS_VTTP	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Customer	Rev 0.1
				Date: Sunday, April 18, 2010	
				Sheet	62







	HFM_VID	HFM_Icc	LL	Icc_TDC	Icc_Dyn
Auburndale 45W	0.85	50	1.9m	37	35
Auburndale 35W	0.85	38	1.9m	29	27
Clarksfield SV	0.95	52	1.9m	38	39
Clarksfield XE	0.95	65	TBD	48	TBD

PH0	PH1	# of PH
0	0	1
0	1	2
1	1	3

Security Classification		Compal Secret Data		<i>Compal Electronics, Inc.</i>				
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title				
				<i>CPU CORE</i>				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size C	Document Number	Rev		
				<i>NCQF0 M/B LA-5981P Schematic</i>				
Date		Sunday, April 18, 2010		Sheet	59	of 62		

Version change list (P.I.R. List)

Page 1 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1	Modify chager circuit	Design change	0.1	48	Change BQ24751 to ISL6251	2009 10/07	EVT
2	During shutdown, GFX has a pulse	Make GFX_EN pull down quickly	0.1	58	Add PD15 to connect GFX_EN and VS_ON	2009 11/02	EVT
3	Park XT SPEC change	More display performance	0.1	57	Change PR176 from 31.6kΩ to 43.2kΩ(SD034432280) Change PR179 from 9.53KΩ to 8.87KΩ(SD034887180) Change PR181 from 64.9KΩ to 25.5KΩ(SD034255280)	2009 11/05	EVT
4	ME height not enough	Prevent EL-cap. to knock the door	0.1	51	Change PC56 from 330uF 6L to 220uF 4.5L(SF0000002Y00)	2009 11/11	EVT
5	Cost review	Cost down	0.1	57	Change PC124 from 6mΩ to 10mΩ(SF000002000)	2009 11/11	EVT
6		Tune OCP	0.1	58	Change PR294 from 6.98KΩ to 7.15KΩ(SD034715180) Change PR299 from 10.7KΩ to 11KΩ(SD034110280)	2009 11/11	EVT
7		Tune OCP & Imon	0.1	59	Change PR239 from 499KΩ to 4.53KΩ(SD034453180) Change PC162 from 0.082uF to 0.1uF(SE076104KM8) Change PR258 from 1.91KΩ to 2.05KΩ(SD034205180) Change PR261 from 73.2KΩ to 74.5KΩ(SD034715280) Change PR263, PR264 from 120KΩ to 127KΩ(SD014127380) Change PR258 from 1.91KΩ to 2.05KΩ(SD034205180)	2009 11/11	EVT
8							
9	Not enough space	Not enough space	0.1	52	Change PL6 from 10x10 to 7x7(SH0000006I80)	2009 11/12	EVT
10	HW Jason request	Add new VGA voltage table	0.1	57	Add PR176,PR179,PR181 virtual parts	2009 11/19	EVT
11	Design review	1.5V change APW7138 to TPS51117	0.1	55		2009 11/19	EVT
12	Design review	Provide GFX output a reference	0.1	58	Add PR310,PR311	2009 12/03	EVT
13	S3 resume shutdown	Make sure 0.75V high later than 1.5V and low earlier than 1.5V	0.1	52	Add PD15	2009 12/08	EVT
14	Design review	1.5V tune output voltage	0.2	55	Change PR278 from 59KΩ to 124KΩ(SD034124380) Change PR279 from 24KΩ to 124KΩ(SD034124380) Change PR208 from 9.09KΩ to 16.9KΩ(SD034169280)	2009 12/15	DVT
15	Power OFF sequence	+1.0vsdgpu need power down within 20ms	0.2	53	Add PQ65	2010 01/05	DVT
16	HW request raise 1% voltage	1.5V tune output voltage	0.2	55	Change PR279 from 124KΩ to 127KΩ(SD034127380)	2010 01/07	DVT
17	OTP activity	Have a pull high	0.2	48	Enable PR23	2010 01/07	DVT
18	EMI solution	Add bypass cap from B+ to Gnd	0.2	59	Add PC184,PC190,PC204,PC205,PC206	2010 01/08	DVT
19	GFX character	Improve Imon, Loadline	0.2	58	Change PR294 from 7.15KΩ to 7.32KΩ(SD034732180) Change PR308 from 43.2KΩ to 53.6KΩ(SD034536380)	2010 01/08	DVT
20	CPU character	Improve Imon, Loadline, Transient	0.2	59	Change PR239 from 4.53KΩ to 4.42KΩ(SD0000004J80) Change PC176 from 390pF to 680pF(SE074681K80)	2010 01/08	DVT
21	Costdown	Change pack from 1206 to 0805	0.2		Change PC79,PC80,PC88,PC89,PC97,PC98 from 1206 to 0805(SE0000006R80)	2010 01/08	DVT
22	Tune sequence	GPU_core need ramp up before VDDCIP	0.2	54	Change PR131 from 10KΩ to 57.6KΩ(SD034576280)	2010 01/08	DVT
23	Run 3D Mark hang	Improve GPU character	0.2	57	Change PL11 from 0.56uH to 0.36uH(SH0000005680) Change PR169 from 2.43KΩ to 3.92KΩ(SD034392180) Change PR176 from 31.6KΩ to 25.5KΩ(SD034255280) Change PR184 from 68.1KΩ to 64.9KΩ(SD034649280) Change PR137 from 6.65KΩ to 7.87KΩ(SD034787180)	2010 01/13	DVT


Delete
2009
11/05

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title	PIR (PWR)
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number NCQF0 M/B LA-5981P Schematic
				Date:	Sunday, April 18, 2010
				Sheet	60 of 62

Rev
0.1

	5	4	3	2	1																																				
	NO DATE	PAGE	MODIFICATION LIST	PURPOSE																																					
	01/05	P.40	PWR_LED# connect from +3VALW to +3VS; PWR_SUSP_LED# conector from +3VS to +3VALW																																						
	01/05	P.10	JDIMM1 and JDIMM2 location swap																																						
	01/05	P.47~60	upgrade PWR schematic																																						
	01/06	P.31	Change net name of Q85.pin2/5 from +3VS to +3VS_DELAY																																						
	01/06	P.35	Add one Lid Switch schematic for reserve																																						
	01/08	P.47~60	upgrade PWR schematic																																						
	01/08	P.42	Add two of 300 ohm bead for DMIC_CLK and SPDIF signal(L6/L8)																																						
	01/11	P.47~60	upgrade PWR schematic																																						
	01/11	P.40	Reserve R120=300 ohm pull-high to +3VALW																																						
	01/11	P.18	Change net name of Q23.pin2 from VGA_HDMI_DET to HDMI_HPD																																						
	01/12	P.25	Add C602=330uF to decrease ripple of +GPU_CORE																																						
	02/25	P.23	Change net connection(from R45.2 to Q7.1)																																						
	02/25	P.29	Add R37=SG@ 0 ohm connect between DPST_PWM_1 and INVTPWM																																						
	02/25	P.34	Add C936~C938=mount 0.1uF for slove EMI issue																																						
	02/25	P.39	Add R430/R442/R446=mount 10k ohm pull-high to +3VALW																																						
	02/25	P.39	Change Bom structure of R421/R422/R431 from mount to reserve																																						
	02/25	P.47~63	upgrade PWR schematic																																						
	03/01	P.5	Del XDP schematic(JP5/R89/R92/R93/R96/C168/R86/R657/R663)																																						
	03/01	P.14	Add R326/R345/R782/R796(for use JMB380 Ver.C)																																						
	03/01	P.14	Add Q49/Q50(for use JMB380 Ver.C)																																						
	03/01	P.47~63	upgrade PWR schematic																																						
	03/02	P.37	Add R718/C168 (for reset)																																						
	03/31	P.23	Add Update VRAM Table																																						
	03/31	P.43	Change value of R4 from 4.7K ohm to 5.62K ohm																																						
	03/31	P.43	Change value of C3 from 0.1uF to 0.033uF																																						
	03/31	P.36	Change Bom structure of R654/R658/R280/R281/R324/R331 from mount to @																																						
	03/31	P.36	Change Bom structure of L32/L33/L69 from @ to mount																																						
	03/31	P.36	Change symbol and PN of L32/L33/L39 from SM070001310 to SM070000K00																																						
	03/31	P.24	Change Bom structure of R83 from SG@ to MAD@																																						
	04/01	P.39	Change footprint of SW2/SW3 from SW_SKRELGE010_2P to SW_NTC317-AB1G-C220C_2P																																						
	04/02	P.23	Change PN of Q9 from SB00000D900 to SB00000DH00																																						
	04/02	P.29	Change PN of Q6/Q80/Q81 from SB00000D900 to SB00000DH00																																						
	04/02	P.30	Change PN of Q84 from SB00000D900 to SB00000DH00																																						
	04/02	P.31	Change PN of Q85 from SB00000D900 to SB00000DH00																																						
	04/02	P.31	Change PN of Q61 from SB570020110 to SB000008J10																																						
	04/02	P.43	Change PN of Q69 from SB00000D900 to SB00000DH00																																						
	04/02	P.45	Change PN of Q40/Q41/Q42/Q43 from SB00000D900 to SB00000DH00																																						
	04/02	P.46	Change PN of Q35/Q47 from SB00000D900 to SB00000DH00																																						
	04/15	P.39	Change PN of SW2/SW3 from SN100001C00 to SN100003R00																																						
	04/15	P.41	Change Bom structure of SW1 from mount to @																																						
	04/18	P.29	Add LVDS schematic(U13/U31/C204/C187=@)																																						
	04/18	P.40	Add R51=@ 0 ohm																																						
	04/18	P.47~63	upgrade PWR schematic																																						
	5	4	3	2	1																																				
			<table><tr><td colspan="2">Security Classification</td><td colspan="2">Compal Secret Data</td><td colspan="2">Compal Electronics, Inc.</td></tr><tr><td colspan="2">Issued Date</td><td>2009/08/25</td><td>Deciphered Date</td><td>2010/08/25</td><td>Title</td></tr><tr><td colspan="5">THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.</td><td>Size Custom</td><td>Document Number</td><td>Rev</td></tr><tr><td colspan="5"></td><td>Date:</td><td>NCQF0 M/B LA-5981P Schematic</td><td>1.0</td></tr><tr><td colspan="5"></td><td>Sheet</td><td>61 of 63</td><td></td></tr></table>			Security Classification		Compal Secret Data		Compal Electronics, Inc.		Issued Date		2009/08/25	Deciphered Date	2010/08/25	Title	THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Size Custom	Document Number	Rev						Date:	NCQF0 M/B LA-5981P Schematic	1.0						Sheet	61 of 63	
Security Classification		Compal Secret Data		Compal Electronics, Inc.																																					
Issued Date		2009/08/25	Deciphered Date	2010/08/25	Title																																				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					Size Custom	Document Number	Rev																																		
					Date:	NCQF0 M/B LA-5981P Schematic	1.0																																		
					Sheet	61 of 63																																			

MODEL NAME: *KBLA0 Power Sequence Block Diagram*
PCB NAME: *LA4811P*
REVISION:
DATE: *2008/12/04*



Version change list (P.I.R. List)

Page 2 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
24	EMI request	Cut-in snubber and couple cap on B+	0.2		Enable 3V/5V/1.5V/1.05V/VTT/GPU snubber	2010 01/13	DVT
25	Buyer request	Costdown	0.2		Change PU10,PU11,PU12 from TPS51117 to G5603(SA00003HM00)	2010 01/14	DVT
26	HW/Ivan request	Raise voltage 2%(Arrendale only)	0.3	56	Change PR153 from 4.99K Ω to 5.36K Ω (SD034536180)	2010 02/11	PVT
27	The same setting for 2nd source	Fix 5V for all IC	0.3	51	Disable PR87	2010 02/23	PVT
28	GPU output cap add 330uF for hang issue	Tune VDDCIP sequence and Power common design	0.3	54	Change PR131 from 57.6K Ω to 301K Ω (SD034301380) Net +5VALW instead of +5VSDGPU	2010 02/23	PVT
29	EMI request	Cut-in snubber and boost res.	0.3		Change PR122,PR142,PR236,PR249,PR275 from 0 Ω to 2.2 Ω (SD013220B80) Add PR238,PR251 to 4.7 Ω Add PC161,PC173 to 470pF	2010 02/25	PVT
30	65/90# only low signal	Fix adapter mode	0.4	50	Disable PR73, PQ24	2010 03/23	Pre-MP
8	Protect logic deformation	Add PH2 function	0.4	48	Change PR23 from 0 Ω to 29.4 Ω (SD034294280) Add PR27, PH2	2010 03/23	Pre-MP
9	Improve anti-noise	Reduce voltage divider	0.4	54	Change PR138 from 43K to 2.05K(SD034205180) Change PR139 from 124K to 5.9K(SD034590180) Change PR283 from 60.4K to 2.87K(SD034287180)	2010 03/26	Pre-MP
10	Improve anti-noise	Reduce voltage divider	0.4	55	Change PR278 from 124K to 5.9K(SD034590180) Change PR279 from 127K to 6.04K(SD034604180) Change PR127 from 24K to 1.15K(SD034115180) Change PR128 from 59K to 2.48K(SD034288180)	2010 03/26	Pre-MP
11							
12	Cut-in 120W adapter	Tune a CP setting for 120W adapter	0.4	50	Change PR47 from 0.02 to 0.015(SD000001E00)	2010 03/26	Pre-MP
13	Modify VGA voltage table	Rise Broadway voltage to the same to Park	0.4	57	Change PR179 from 9.53 to 8.87 Change PR181 from 64.9 to 43.2	2010 04/16	Pre-MP
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/08/25	Deciphered Date	2010/08/25	Title		
				PIR (PWR)		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Custom	NCQF0 M/B LA-5981P Schematic	0.1
Date:				Sunday, April 18, 2010	Sheet 63 of 63	