

Compal Confidential

JAQ10 M/B Schematics Document


Intel Penryn Processor with Cantiga + DDRIII + ICH9M

2008-04-21

REV: 0.4

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Cover Sheet	
				Size Custom	Document Number JAQ10 M/B Schematic
Date: Tuesday, April 15, 2008				Sheet 1 of 44	

Montevina Commercial UMA



Voltage Rails

Power Plane	Description	S1	S3/M1	S5/M1
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+0.75VS	0.75VS power rail for DDR3 terminator	ON	OFF/ON	OFF/ON
+1.05VS	1.05V switched power rail	ON	OFF	OFF
+1.05VM	1.05VM switched power rail	ON	OFF/ON	OFF/ON
+1.5V	1.5V power rail for HDA	ON	ON	OFF/ON
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.8VS	1.8V switched power rail	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3V_LAN	3.3V power rail for LAN	ON	OFF/ON	OFF/ON
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON*

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts
1394 TI	AD21	3	PIRQ-F
PCMCIA + Card Reader + Small Card	AD22	2	PIRQ-E

External PCI-e Devices

Device	PORT NO.	Interrupts
MINI CARD1 WLAN	P1	??
MINI CARD2 3G	P2	??
DOCKING PCI-E	P5	??
INTEL GIGA LAN	P6	??

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	ADI ADM1032	1001 100X b
		GMT G781-1	1001 101X b

EC SM Bus2 address

ICH9M SM Bus address

Device	Address
Clock Generator (ICS9LPRS365)	1101 001Xb
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb
HDMI Analog S/W	1100 000Xb

STATE \ SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)	LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V






BOARD ID Table

Board ID	PCB Revision
0	0.1
1	0.2
2	0.3
3	1.0
4	1A
5	
6	
7	


BTO Option Table

BTO Item	BOM Structure
Discrete	PM@
UMA	GM@
CIR	CIR@
8111C	8111C@
8102E	8102E@
ALC888VC	888VC@
ALC888VB	888VB@
ALC268	268@

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/09/20	Deciphered Date	2008/09/20	Notes List		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number	Rev 0.1
				Date:	Tuesday, April 15, 2008	Sheet 3 of 44




Security Classification				Compal Secret Data				Title			
Issued Date				Deciphered Date				2007/09/29			
2007/09/29				2007/09/29				Penryn(1/3)-AGTL+/ITP-XDP			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size				Rev			
				Custom				0.1			
				Date:				Monday, May 26, 2008			
				Sheet				4 of 44			





Resistor placed within 0.5" of CPU pin. Trace should be at least 25 mils away from any other toggling signal. COMP[0,2] trace width is 18 mils. COMP[1,3] trace width is 4 mils.

CPU_BSEL	CPU_BSEL2	CPU_BSEL1	CPU_BSEL0
166	0	1	1
200	0	1	0
266	0	0	0




Length match within 25 mils.
The trace width/space/other is
20/7/25.







DEL 330U 1017




Near CPU CORE regulator

ESR <= 1.5m ohm
Capacitor > 1980uF




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Penryn(3/3)-AGTL+/ITP-XDP	
Date: Monday, February 25, 2008		Sheet 6 of 44		Size	Rev
Cust		JAQ10 M/B Schematic		0.1	





Layout Note:
H_RCOMP / H_VREF / H_SWNG
trace width and spacing is 10/20

Layout Note:
V_DDR MCH REF
trace width and
spacing is 20/20.



Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Cantiga (1/6)-AGTL/DMI/DDR	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	JAQ10 M/B Schematic
				Date	Monday, May 26, 2008
				Sheet	7 of 44










Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2007/09/29		Deciphered Date	
		2007/09/29			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title	
				Cantiga(4/6)-PWR	
Size	Document Number	Rev		0.1	
Custom	JAQ10 M/B Schematic	Date		Friday, May 23, 2008	
Sheet		10		of 44	



Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPANY TO ANY OTHER DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number JAQ10 M/B Schematic
				Date: Tuesday, October 30, 2007	Rev 0.1
				Sheet 12	of 44




(14) +V_DDR3_DIMM_REF





ADD FOR 1111

Layout Note:
Place near JP4

Layout Note: Place these 4 Caps near Command
and Control signals of DIMMA






Layout Note:
Place near JP4.203 & JP4.204



DDR3 SO-DIMM A REVERSE

Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	DDR3II-SODIMM SLOT1	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. IT MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number JAQ10 M/B Schematic
				Date: Monday, May 26, 2008	Rev 0.1
				Sheet 13	of 44




same with intel DDR3 CRB connection

**DDR3 SO-DIMM B
REVERSE**

Security Classification		Compal Secret Data		Compal Electronics, Inc. DDRIII-SODIMM SLOT2	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
					Rev 0.1
				JAQ10 M/B Schematic	
				Date:	Monday, May 26, 2008
				Sheet	14 of 44

FSC	FSB	FSA	CPU	SRC	PCI	REF	DOT_96	USB
CLKSEL2	CLKSEL1	CLKSEL0	MHZ	MHZ	MHZ	MHZ	MHZ	MHZ
0	0	0	266	100	33.3	14.318	96.0	48.0
0	0	1	133	100	33.3	14.318	96.0	48.0
0	1	0	200	100	33.3	14.318	96.0	48.0
0	1	1	166	100	33.3	14.318	96.0	48.0
1	0	0	333	100	33.3	14.318	96.0	48.0
1	0	1	100	100	33.3	14.318	96.0	48.0
1	1	0	400	100	33.3	14.318	96.0	48.0
1	1	1	Reserved					




2007/09/26

for ICS Overclocking setting
 0=overclocking of CPU and SRC allowed
 1=overclocking of CPU and SRC NOT allowed

NB
CPU

NB (UMA)



ITP_EN	0 = SRC8/SRC8# 1 = ITP/ITP#
PCI_CLK3	0 = Enable DOT96 & SRC1(UMA) 1 = Enable SRC0 & 27MHz(DIS)




SB, MINI PCI




M:ICS P/N:
S: Silego

Routing the trace at least 10mil









LVDS and USB CAM connector




pin 4	0 = disable inverting output 1 = enable inverting output
pin 35	0=Default value 1 = output driver current increased 10%

⁽⁹⁾From GM






(27,28) PCI_AD#[0..31] < PCI_AD#[0..31]
(27,28) PCI_CBE#[0..3] < PCI_CBE#[0..3]



ADD Buffer for 4/9


A16 swap override Strap

PCI_GNT3# Low= A16 swap override Enble
High= Default *





Boot BIOS Strap


PCI_GNT0#	SPI_CS#1	Boot BIOS Location
0	1	SPI
1	0	PCI
1	1	LPC *





Change 11/15











HDD Connector




Media BAY for 2ND HDD BATT



Security Classification	Compal Secret Data	Document Number	HDD & CDROM
Issued Date	2007/09/29	Deciphered Date	2007/09/29
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		Size	0.1
		Date	Friday, June 06, 2008
		Sheet	22 of 44




HD Audio Codec



268 did not have sense C ! How can I know SPDIF IN OR HP IN ??


Sense Pin	Impedance	Codec Signals
SENSE A	39.2K	PORT-A (PIN 39, 41)
	20K	PORT-B (PIN 21, 22)
	10K	PORT-C (PIN 23, 24)
	5.1K	PORT-D (PIN 35, 36)
SENSE B	39.2K	PORT-E (PIN 14, 15)
	20K	PORT-F (PIN 16, 17)
	10K	PORT-G (PIN 43, 44)
	5.1K	PORT-H (PIN 45, 46)
SENSE C	39.2K	CD
	20K	1st S/PDIF Out
	10K	2nd S/PDIF Out
	5.1K	S/PDIF-IN

Regulator for CODEC




Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	HD Audio Codec	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Rev 0.1
				Date: Monday, May 26, 2008	Sheet 25 of 44

APA2056 SPK/HP Amplifier



IN_A Gain = 10dB (Internal Speaker)
IN_H Gain = 0dB (Headphone)




APA2057 gain setting table


gain \ V	V(low)	V(high)
8	3.21	3.27
9	3.33	3.39
10	3.45	3.51

(dB)

```
current
setting(3.48V)
```




Int. Speaker Conn.




DEL SPDIF POWER 11/20


LINE Out/Headphone Out
S/PDIF Out JACK




Docking Conn



Docking Conn




MIC JACK



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/09/29	Deciphered Date	2007/09/29	AMP & Audio Jack Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
					JAQ10 M/B Schematic	0.1
				Date:	Wednesday, June 11, 2008	Sheet 26 of 44

Change library U55/U56



C958 close U55

0.1U_0402_16V4Z

C958

1 2 +SC_VCC

SC_VCC

SC_RST

SC_CLK

SC_IO

SC_CD#

MS_CD#

PCI_CLK

PCI_PERR#

PCI_RST#

RESET#

CLKRUN#

INTA#

CAUDIO

1.8VOUT

1.8VOUT

EPISI

VCC/VPP

VCC/VPP

VS1

VS2

CD1#

CD2#

CD3#

CD4#

CD5#

CD6#

CD7#

CD8#

CD9#

CD10#

CD11#

CD12#

CD13#

CD14#

CD15#

CD16#

CD17#

CD18#

CD19#

CD20#

CD21#

CD22#

CD23#

CD24#

CD25#

CD26#

CD27#

CD28#

CD29#

CD30#

CD31#

CD32#

CD33#

CD34#

CD35#

CD36#

CD37#

CD38#

CD39#

CD40#

CD41#

CD42#

CD43#

CD44#

CD45#

CD46#

CD47#

CD48#

CD49#

CD50#

CD51#

CD52#

CD53#

CD54#

CD55#

CD56#

CD57#

CD58#

CD59#

CD60#

CD61#

CD62#

CD63#

CD64#

CD65#

CD66#

CD67#

CD68#

CD69#

CD70#

CD71#

CD72#

CD73#

CD74#

CD75#

CD76#

CD77#

CD78#

CD79#

CD80#

CD81#

CD82#

CD83#

CD84#

CD85#

CD86#

CD87#

CD88#

CD89#

CD90#

CD91#

CD92#

CD93#

CD94#

CD95#

CD96#

CD97#

CD98#

CD99#

CD100#

CD101#

CD102#

CD103#

CD104#

CD105#

CD106#

CD107#

CD108#

CD109#

CD110#

CD111#

CD112#

CD113#

CD114#

CD115#

CD116#

CD117#

CD118#

CD119#

CD120#

CD121#

CD122#

CD123#

CD124#

CD125#

CD126#

CD127#

CD128#

CD129#

CD130#

CD131#

CD132#

CD133#

CD134#

CD135#

CD136#

CD137#

CD138#

CD139#

CD140#

CD141#

CD142#

CD143#

CD144#

CD145#

CD146#

CD147#

CD148#

CD149#

CD150#

CD151#

CD152#

CD153#

CD154#

CD155#

CD156#

CD157#

CD158#

CD159#

CD160#

CD161#

CD162#

CD163#

CD164#

CD165#

CD166#

CD167#

CD168#

CD169#

CD170#

CD171#

CD172#

CD173#

CD174#

CD175#

CD176#

CD177#

CD178#

CD179#

CD180#

CD181#

CD182#

CD183#

CD184#

CD185#

CD186#

CD187#

CD188#

CD189#

CD190#

CD191#

CD192#

CD193#

CD194#

CD195#

CD196#

CD197#

CD198#

CD199#

CD200#

CD201#

CD202#

CD203#

CD204#

CD205#

CD206#

CD207#

CD208#

CD209#

CD210#

CD211#

CD212#

CD213#

CD214#

CD215#

CD216#

CD217#

CD218#

CD219#

CD220#

CD221#

CD222#

CD223#

CD224#

CD225#

CD226#

CD227#

CD228#

CD229#

CD230#

CD231#

CD232#

CD233#

CD234#

CD235#

CD236#

CD237#

CD238#

CD239#

CD240#

CD241#

CD242#

CD243#

CD244#

CD245#

CD246#

CD247#

CD248#

CD249#

CD250#

CD251#

CD252#

CD253#

CD254#

CD255#

CD256#

CD257#

CD258#

CD259#

CD260#

CD261#

CD262#

CD263#

CD264#

CD265#

CD266#

CD267#

CD268#

CD269#

CD270#

CD271#

CD272#

CD273#

CD274#

CD275#

CD276#

CD277#

CD278#

CD279#

CD280#

CD281#

CD282#

CD283#

CD284#

CD285#

CD286#

CD287#


CD288#

CD289#

CD290#





CD291#

IDSEL: PCI_AD21





Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	TI 1394 TSB43AB22A	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Rev 0.1
Date: Monday, May 26, 2008				Sheet	28 of 44

```
| Note for pin 2:
| If needs to support power on from IT8305
| CIR, please connect pin2 for "VSTBY".
| If don't need to support power on from
| IT8305 CIR, please connect pin2 for
| "V33".
```



Security Classification		Compal Secret Data		Compal Electronics, Inc. SIO IT8305E	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	JAQ10 M/B Schematic Date: Wednesday, June 11, 2008 Sheet 29 of 44
				Rev	0.












Security Classification	Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Size
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number
				Rev
Date: Friday, June 06, 2008				Sheet 31 of 44

Compal Electronics, Inc.


















USB, BT, eSATA

JAQ10 M/B Schematic


Rev 0.1




The schematic shows the connection of the TP_CLK and TP_DATA signals. TP_CLK (R462) and TP_DATA (R463) are connected to a 10K_0402_5% resistor network. The network is connected to a +5VS supply and a common ground.

[illegible]


Power Button




Finger Print Conn





CHECK CONN



HDA MDC Conn.




BT



Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	KBD, ON/OFF, SW, CIR	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				JAQ10 M/B Schematic	
				Date	Wednesday, June 11, 2008
				Sheet	34 of 44

TO S/W B




	KSO1	KSO2
KSI2	SYNC_BTN#	EMAIL_BTN#
KSI3	BRIEF_BTN#	PROGRAM_BTN#
KSI4	LOCK_BTN#	IE_BTN#
KSI5	E-KEY_BTN#	
KSI6		3G ON#
KSI7	WL ON#	BT ON#

0103 Change1



Change +3vs to +3valw

Compal Footprint


4 2
3 1




TO POWER BTN/B



BT_SW & 3G_SW



WL_SW




06 03.2

9 X 9 03


04.2

02.5





Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	LED/SW
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				JAQ10 M/B Schematic	
				Date	Wednesday, June 11, 2008
				Sheet	35 of 44
				Rev	0.1


+5VALW to +5VS Transfer




+3VALW TO +3VM




+3VALW to +3VS Transfer





+1.5V to +1.5VS Transfer







need power confirm +1.05VM to +VCCP Transfer



Discharge circuit





Security Classification		Compal Secret Data		Title	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	DC/DC Interface	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				JAQ10 M/B Schematic	
				Date:	Thursday, June 26, 2008
				Sheet	36 of 44
				Rev	0.1





Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	DCIN & DETECTOR	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
					JAQ10	0.2
				Date:	Friday, June 06, 2008	Sheet 37 of 45


PH1 under CPU botten side :
CPU thermal protection at 86 degree C
Recovery at 56 degree C



PH2 near main Battery CONN :
BAT. thermal protection at 92 degree C
Recovery at 56 degree C




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				BATTERY CONN / OTP	
Size	Document Number	Rev			0.2
Date:	Friday, June 06, 2008	Sheet	38	of	45



+3.3VALWP Ipeak=8.444A ; Imax=5.91A
 Rds(on)=18m ohm(max) ; Rds(on)=15m ohm(typical)
 Vlimit=(5E-06 * 330K)/10=165mV
 Ilimit=165mV/18m ~ 165mV/15m
 =9.167A ~ 11A
 Iocp=Ilimit+Delta I/2
 =10.134A ~ 11.967A
 Delta I=1.934A (Freq=300KHz)

+5VALWP Ipeak=8.444A ; Imax=5.91A
 Rds(on)=18m ohm(max) ; Rds(on)=15m ohm(typical)
 Vlimit=(5E-06 * 330K)/10=165mV
 Ilimit=165mV/18m ~ 165mV/15m
 =9.167A ~ 11A
 Iocp=Ilimit+Delta I/2
 =10.147A ~ 11.980A
 Delta I=1.96A (Freq=400KHz)

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				+5VALWP/+3VALWP	
				Size	Document Number
				Custom	JAQ10
Date: Wednesday, June 11, 2008				Rev	0.2
Sheet 39 of 45					





1.5VP Ipeak=9.45A ; Imax=6.615A
 DCR=10m ohm (max)
 $R_{ocset} = (I_{ocp} \cdot DCR) / 10E-06 = 12K \text{ ohm}$
 $I_{ocp} = 12A$
 $C_{sen} = L / (R_{ocset} \cdot DCR) = 0.015uF$

Freq=303KHz
 $R_{fset} = 1 / (1.5E-10 \cdot \text{Freq}) = 22K$


1.05VP Ipeak=8.8A ; Imax=6.16A
 DCR=10m ohm (max)
 $R_{ocset} = (I_{ocp} \cdot DCR) / 10E-06 = 12K \text{ ohm}$
 $I_{ocp} = 12A$
 $C_{sen} = L / (R_{ocset} \cdot DCR) = 0.015uF$

Freq=366KHz
 $R_{fset} = 1 / (1.5E-10 \cdot \text{Freq}) = 18.2K$

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	1.5VP / 1.05VP
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Date:	Friday, June 06, 2008
				Sheet	40 of 44
				Rev	0.1
				JAQ10	



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Rev	0.2
				Date:	Friday, June 06, 2008
				Sheet	41 of 45



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2007/09/29	Deciphered Date	2007/09/29	Title	+CPU_CORE
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Rev	0.2
				Date:	Friday, June 06, 2008
				Sheet	42 of 45

Version change list (P.I.R. List)

Page 1 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1		For 2nd source of ISL6237		39	Add PC103 SE000000K80(S CER CAP 1U 6.3V K X5R 0402) on Pin5 of PU4 to GND	2007 12/26	EVT
2		For EN function of PU4		39	Add PD12 SC100001K00(S DIO 1SS355 S0D323 T/R-5K)on pin 3 of PQ43 to VS	2007 12/26	EVT
3		Down size		39	Change PC38 from 0603 to 0402(SE076473K80)	2007 12/26	EVT
4		Down size		39	Change PC28 from 0805 to 0603(SE107475M80)	2007 12/26	EVT
5		Down size		37	Change PC7 from 1206 to 0603(SE0000005Z80)	2007 12/26	EVT
6		For more current		37	Change PD11 in SCS00002F00(S SCH DIO PDS1040-13 POWERDI5)	2007 12/26	EVT
7		For more current		37	Change PD1 in SCS00002F00(S SCH DIO PDS1040-13 POWERDI5)	2007 12/26	EVT
8		Down size		41	Change PC91 from 0805 to 0603(SE107475M80)	2007 12/26	EVT
9		Down size		41	Change PC96 from 0805 to 0603(SE107475M80)	2007 12/26	EVT
10		Down size		41	Change PC92 from 0603 to 0402(SE000000K80)	2007 12/26	EVT
11		Down size		41	Change PC97 from 0603 to 0402(SE000000K80)	2007 12/26	EVT
12		Down size		42	Change PC110 from 0603 to 0402(SE000000K80)	2007 12/26	EVT
13		Down size		42	Change PC112 from 0603 to 0402(SE074681K80)	2007 12/26	EVT
14		Down size		42	Change PC121 from 0603 to 0402(SE074681K80)	2007 12/26	EVT
15		Down size		42	Change PC128 from 0603 to 0402(SE0000003W00)	2007 12/26	EVT
16		Down size		38	Change PC14 from 0805 to 0603(SE026224K80)	2007 12/26	EVT
17		Down size		38	Change PC18 from 0805 to 0603(SE026224K80)	2007 12/26	EVT
18		Sourcer request		40	Change PC71、PC74 from NP0 to X7R (SE074102K80)	2008 01/14	EVT
19		DFX		37	Delete PD1	2008 01/14	EVT
20		OCP adjust		39	Change PL3、PL4 from 4.7uH to 10uH (SH0000002L80)	2008 01/14	EVT
21		OCP adjust		39	Change PR48、PR49 from 330K to 287K (SD0000005D80)	2008 01/14	EVT
22	HW request	Set 1.5V==>1.54V, 1.05V==>1.07V		40	Change PR95、PR99 from 25.5K to 26.7K (SD034267280)	2008 01/14	EVT
23	HW request	Set 5V==>5.138V		39	Change PR41 from 61.9K to 63.4K (SD03463K280)	2008 04/17	DVT

Compal Electronics, Inc.

Title			
PIR (PWR)			
Size	Document Number	JAQ10 M/B Schematic	
		Rev	0.2
Date:	Friday, June 06, 2008	Sheet	44 of 45

Version change list (P.I.R. List)

Page 2 of 2
for PWR

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
24	Thermal request	Change protect point from 92 to 86 degree C		38	Change PR22 from 15.4K to 16.9K (SD034169280)	2008 04/17	DVT
25		3G EMI request			Delete PR36、PR37、PR103、PR107、PC33、PC34、PC82、PC87 "@" mark	2008 04/22	DVT
26					Change PR105、PR109、PR130、PR144 from 0 to 2.2		
27		3G EMI request		40	Change PR105、PR109 from 2.2 to 3.3	2008 05/21	PVT
28	EPA power	HW request		41	Add PR167, mark "@" PR112	2008 05/27	PVT
29		EMI request		37	Delete PJ4, add PL12 (SM010020720)	2008 05/27	PVT
30		3G EMI request		39	Change PR38、PR39 from 0 to 2.2	2008 05/29	PVT
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							

Compal Electronics, Inc.

Title			
PIR (PWR)			
Size	Document Number	JAQ10 M/B Schematic	
		Rev	0.2
Date: Friday, June 06, 2008		Sheet	45 of 45