

1. ALL RESISTANCE VALUES ARE IN OHMS, 0.1 WATT +/- 5%.  
 2. ALL CAPACITANCE VALUES ARE IN MICROFARADS.  
 3. ALL CRYSTALS & OSCILLATOR VALUES ARE IN HERTZ.

REV	ECN	DESCRIPTION OF REVISION	CK APPD	DATE
4	0001109172	ENGINEERING RELEASED		2011-04-18

# SCHEM, PCB, LIO, K78

EVT 1, 2011-04-18

www.laptop-schematics.com

Page	Contents	Sync	Date
1	1 Table of Contents		
2	2 System Block Diagram	K78_MLB	04/05/2011
3	7 FUNC TEST	(K6_MLB)	(12/11/2009)
4	8 Power Aliases	(K24_MLB)	(02/04/2009)
5	46 External USB Connectors	(K84_MLB)	(11/09/2009)
6	47 LIO CONNECTORS	MASTER	MASTER
7	62 AUDIO: CODEC/REGULATOR	AUDIO	04/05/2011
8	65 AUDIO: HEADPHONE FILTER	AUDIO	04/05/2011
9	66 AUDIO: SPEAKER AMP	AUDIO	04/05/2011
10	67 AUDIO: JACK	AUDIO	04/05/2011
11	68 AUDIO: JACK TRANSLATORS	AUDIO	04/05/2011
12	69 MPM CONNECTOR	MASTER	MASTER
13	103 MCP Constraints 2	(K24_MLB)	(04/06/2009)

www.laptop-schematics.com

Alternate Parts

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
155S0694	155S0387		ALL	Murata alt to TDK
155S0661	155S0511		ALL	Murata alt to TDK
155S0660	155S0513		ALL	Murata alt to TDK

Schematic / PCB #'s


PART NUMBER	QTY	DESCRIPTION	REFERENCE DES	CRITICAL	BOM OPTION
051-8540	1	SCHEM, PCB, LIO, K78	SCH	CRITICAL	
820-3053	1	PCBF, LIO, K78	PCB	CRITICAL	
946-3092	1	LIO LOCTITE UV EB 0.08, K78	UV_GLUE	CRITICAL	

BOM: 639-1784 PCBA, LIO, K78  
 MCO: 056-4207 MCO, LIO, K78  
 EEEE: DK05

PRODUCT SAFETY REQUIREMENTS:  
 PCB, UL RECOGNIZED, MIN. 130-C TEMP. RATING AND V-0 FLAME RATING PER UL 796 & UL 94.  
 PCB TO BE SILKSCREENED WITH UL/CUL RECOGNITION MARK, MANUFACTURER'S UL FILE NUMBER, UL PCB MATERIAL DESIGNATION, 130-C TEMP. RATING AND V-0 FLAME RATING




DRAWING TITLE		SCHEM, PCB, LIO, K78	
DRAWING NUMBER		051-8925	SIZE D
REVISION		4.0.0	
BRANCH			
PAGE		1 OF 103	
SHEET		1 OF 13	

NOTICE OF PROPRIETARY PROPERTY:  
 THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING:  
 I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE  
 II NOT TO REPRODUCE OR COPY IT  
 III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART  
 IV ALL RIGHTS RESERVED



SYNC MASTER=K78_MLB		SYNC DATE=04/05/2011	
PAGE TITLE <b>System Block Diagram</b>			
DRAWING NUMBER 051-8925		SIZE D	
REVISION 4.0.0		BRANCH	
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED			
PAGE 2 OF 103		SHEET 2 OF 13	

# Functional Test Points




www.laptop-schematics.com


www.laptop-schematics.com

SYNC_MASTER=(K6_MLB)		SYNC_DATE=(12/11/2009)	
<b>FUNC TEST</b>			
Apple Inc.		DRAWING NUMBER	051-8925
		REVISION	4.0.0
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED		BRANCH	
		PAGE	7 OF 103
		SHEET	3 OF 13


"S0,S0M" RAILS



"S3" RAILS





"G3H" RAILS



www.laptop-schematics.com

Pogo pins



www.laptop-schematics.com

ESD Boss

OMIT TABLE  
Z0805  
STDOFF-2.70D1.6H-SM



APN: 998-3725

PART NUMBER	QTY	DESCRIPTION	REFERENCE DES	CRITICAL	BOM OPTION
860-1427	1	ESD STANDOFF,K21/K78	Z0805		

SYNC MASTER=(K24\_MLB) SYNC DATE=(02/04/2009)

Power Aliases

Apple Inc.

051-8925 D

4.0.0


NOTICE OF PROPRIETARY PROPERTY:  
THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING:  
I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE  
II NOT TO REPRODUCE OR COPY IT  
III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART  
IV ALL RIGHTS RESERVED

8 OF 103

4 OF 13

www.laptop-schematics.com

Port Power Switch




BASED OFF CHARACTERIZATION ON OTHER DESIGNS C4690 IS NOT REQUIRED LEAVING IT AS NO STUFFED


www.laptop-schematics.com

SYNC MASTER=(K84 MLB)		SYNC DATE=(11/09/2009)	
External USB Connectors			
Apple Inc.		DRAWING NUMBER	051-8925
		REVISION	4.0.0
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED		BRANCH	
		PAGE	46 OF 103
		SHEET	5 OF 13

34 Pin LIO Flex Connector  
APN: 516S0859




LIO POWER




SPACE THE HOLES 2MM APART CENTER TO CENTER


CAMERA/ALS



I2C aliases




Temp Sensor



APN: 353S2039  
(WRITE - 0X92 , READ - 0X93)


PAGE TITLE		SYNC DATE=MASTER	
<b>LIO CONNECTORS</b>			
Apple Inc.		DRAWING NUMBER	051-8925
		REVISION	4.0.0
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED		BRANCH	
		PAGE	47 OF 103
		SHEET	6 OF 13

AUDIO CODEC  
APPLE P/N 353S2355



4.5V POWER SUPPLY FOR CODEC

APPLE P/N 353S2456



PLACE XW6200 BENEATH U6200, BETWEEN PINS 2 & 5

NOTES ON CODEC I/O

- DIFF FSINPUT= 2.45VRMS
- SE FSINPUT= 1.22VRMS
- DAC1 FSOUTPUT= 1.34VRMS
- DAC2/3 FSOUTPUTDIFF= 2.67VRMS
- DAC2/3 FSOUTPUTSE= 1.34VRMS

D

D

C

C

B


B

A

A

PAGE TITLE AUDIO: CODEC/REGULATOR		DRAWING NUMBER 051-8925	SIZE D
Apple Inc.		REVISION 4.0.0	BRANCH
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED			
		PAGE 62 OF 103	SHEET 7 OF 13

www.laptop-schematics.com



www.laptop-schematics.com

SYNC MASTER=AUDIO		SYNC DATE=04/05/2011	
PAGE TITLE: AUDIO: HEADPHONE FILTER			
DRAWING NUMBER: 051-8925		SIZE: D	
REVISION: 4.0.0		BRANCH:	
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED			
PAGE: 65 OF 103		SHEET: 8 OF 13	



8

7

6

5

4

3

2

1


SPEAKER AMPLIFIERS

APN:353S2888

SPEAKER LOWPASS 80 HZ < FC < 132 HZ

GAIN 6DB

www.laptop-schematics.com



www.laptop-schematics.com

SYMC_WAFER-AUDIO		SYMC_DATE=04/05/2011	
PAGE TITLE			
AUDIO: SPEAKER AMP			
Apple Inc.	DRAWING NUMBER	051-8925	SIZE
	REVISION	4.0.0	D
NOTICE OF PROPRIETARY PROPERTY:		BRANCH	
THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED		PAGE	66 OF 103
		SHEET	9 OF 13

8

7

6


5

4

3

2

1



AUDIO: JACK	
Apple Inc.	DRAWING NUMBER: 051-8925
NOTICE OF PROPRIETARY PROPERTY:	REVISION: 4.0.0
THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING:	PAGE: 67 OF 103
I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE	SHEET: 10 OF 13
II NOT TO REPRODUCE OR COPY IT	
III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART	
IV ALL RIGHTS RESERVED	

CODEC OUTPUT SIGNAL PATHS

FUNCTION	VOLUME	CONVERTER	PIN COMPLEX	MUTE CONTROL	DET ASSIGNMENT
HP/LINE OUT	0X02 (2)	0X02 (2)	0X09 (9,A)	GPIO_0 AND GPIO_1	0X09 (A)
SPEAKERS	0X04 (4)	0X04 (4)	0X0B (11)	GPIO_3	N/A

CODEC INPUT SIGNAL PATHS


FUNCTION	CONVERTER	PIN COMPLEX	VREF	DET ASSIGNMENT
BUILT-IN MIC	0X06 (6)	0X0D (13,B,RIGHT)	MIC_BIAS (80%)	N/A
HEADSET MIC	0X06 (6)	0X0D (13,V22,B,LEFT)	MIKEY	MIKEY

SOUTHBIDGE RESOURCE/PIN ALLOCATIONS

FUNCTION	NET NAME	SB GPIO/INT
PERIPHERAL/EXTRACTION DETECT	AUD_IP_PERIPHERAL_DET	GPIO 38
MIKEY INTERRUPT	AUD_I2C_INT_L	GPIO 55
MIKEY ENABLE	AUD_IPHS_SWITCH_EN	GPIO 7
MIKEY I2C BUS	I2C_MIKEY_SDA/SCL	MCP89 SMBUS 0

www.laptop-schematics.com



www.laptop-schematics.com


SYNC MASTER=AUDIO		SYNC DATE=04/05/2011	
AUDIO: JACK TRANSLATORS			
Apple Inc.	DRAWING NUMBER	051-8925	SIZE
	REVISION	4.0.0	D
NOTICE OF PROPRIETARY PROPERTY:		BRANCH	
THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING:		PAGE	
I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE		68 OF 103	
II NOT TO REPRODUCE OR COPY IT		SHEET	
III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART		11 OF 13	
IV ALL RIGHTS RESERVED			

www.laptop-schematics.com

www.laptop-schematics.com

MPM Connector

CRITICAL  
J6910  
MPM-DC-K21  
F-RT-TH



SYNC MASTER=MASTER		SYNC DATE=MASTER	
<b>MPM CONNECTOR</b>			
		DRAWING NUMBER	051-8925
		REVISION	4.0.0
NOTICE OF PROPRIETARY PROPERTY: THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART IV ALL RIGHTS RESERVED		BRANCH	
		PAGE	69 OF 103
		SHEET	12 OF 13

K16 LIO BOARD-SPECIFIC SPACING & PHYSICAL CONSTRAINTS

BOARD LAYERS	BOARD AREAS	BOARD UNITS (MIL OR MM)	ALLEGRO VERSION
TOP, 1L2, 1L3, 1L4, 1L5, BOTTOM	NO_TYPE, SGA_P1MM	MM	15.5.1

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
DEFAULT	*	Y	=50_OHM_SE	0.100MM	30 MM	0 MM	0 MM
STANDARD	*	Y	=DEFAULT	=DEFAULT	12.7 MM	=DEFAULT	=DEFAULT

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
55_OHM_SE	TOP, BOTTOM	Y	0.120 MM	0.120 MM			
55_OHM_SE	*	Y	0.125 MM	0.125 MM	=STANDARD	=STANDARD	=STANDARD

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
90_OHM_DIFF	*	N	=STANDARD	=STANDARD	=STANDARD	=STANDARD	=STANDARD
90_OHM_DIFF	1L3, 1L4	Y	0.115 MM	0.115 MM		0.130 MM	0.130 MM
90_OHM_DIFF	TOP, BOTTOM	Y	0.125 MM	0.125 MM		0.110 MM	0.110 MM

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
50_OHM_SE	TOP, BOTTOM	Y	0.090 MM	0.090 MM			
50_OHM_SE	*	Y	0.076 MM	0.076 MM	=STANDARD	=STANDARD	=STANDARD

SPACING_RULE_SET	LAYER	LINE-TO-LINE SPACING	WEIGHT
24_DISELECTRIC	TOP, BOTTOM	0.150 MM	?
44_DISELECTRIC	TOP, BOTTOM	0.150 MM	?
24_DISELECTRIC	*	0.204 MM	?
44_DISELECTRIC	*	0.204 MM	?

USB 2.0 Interface Constraints

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
USB_90D	*	=90_OHM_DIFF	=90_OHM_DIFF	=90_OHM_DIFF	=90_OHM_DIFF	=90_OHM_DIFF	=90_OHM_DIFF

SPACING_RULE_SET	LAYER	LINE-TO-LINE SPACING	WEIGHT
USB	*	=24_DISELECTRIC	?
USB	TOP, BOTTOM	=44_DISELECTRIC	?

SOURCE: MCP79 Interface DG (DG-03328-001\_v0D), Section 2.10.1.

SMBus Interface Constraints

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
SMB_55S	*	=55_OHM_SE	=55_OHM_SE	=55_OHM_SE	=55_OHM_SE	=STANDARD	=STANDARD

SPACING_RULE_SET	LAYER	LINE-TO-LINE SPACING	WEIGHT
SMB	*	=24_DISELECTRIC	?

SOURCE: MCP79 Interface DG (DG-03328-001\_v0D), Section 2.11.1.

HD Audio Interface Constraints

PHYSICAL_RULE_SET	LAYER	ALLOW ROUTE ON LAYER?	MINIMUM LINE WIDTH	MINIMUM NECK WIDTH	MAXIMUM NECK LENGTH	DIFFPAIR PRIMARY GAP	DIFFPAIR NECK GAP
HDA_55S	*	=55_OHM_SE	=55_OHM_SE	=55_OHM_SE	=55_OHM_SE	=STANDARD	=STANDARD

SPACING_RULE_SET	LAYER	LINE-TO-LINE SPACING	WEIGHT
HDA	*	=24_DISELECTRIC	?

SOURCE: MCP79 Interface DG (DG-03328-001\_v0D), Section 2.12.1.

ELECTRICAL_CONSTRAINT_SET	NET_TYPE			
	PHYSICAL	SPACING		
USB_EXTN	USB_90D	USB	CONN USB_EXTD N	5
USB_EXTN	USB_90D	USB	CONN USB_EXTD P	5
USB_EXTN	USB_90D	USB	USB_EXTD N	5 6
USB_EXTN	USB_90D	USB	USB_EXTD P	5 6
USB_CAMERA	USB_90D	USB	USB_CAMERA P	6
USB_CAMERA	USB_90D	USB	USB_CAMERA N	6
USB_CAMERA	USB_90D	USB	USB_CAMERA CONN P	3 6
USB_CAMERA	USB_90D	USB	USB_CAMERA CONN N	3 6
	SMB_55S	SMB	I2C LIO_SDA	6
	SMB_55S	SMB	I2C LIO_SCL	6
	SMB_55S	SMB	I2C MIKEY_SCL	6 10
	SMB_55S	SMB	I2C MIKEY_SDA	6 10
HDA_BIT_CLK	HDA_55S	HDA	HDA_BIT_CLK	6 7
HDA_SYNC	HDA_55S	HDA	HDA_SYNC	6 7
	HDA_55S	HDA	HDA_RST_L	6 7
HDA_SDIN0	HDA_55S	HDA	HDA_SDIN0	6 7
	HDA_55S	HDA	AUD_SDI_R	7
HDA_SDOUT	HDA_55S	HDA	HDA_SDOUT	6 7
	DIFFPAIR	AUDIO	SPKRAMP INL N	9
	DIFFPAIR	AUDIO	SPKRAMP INL P	9
	DIFFPAIR	AUDIO	SPKRAMP INR N	6 9
	DIFFPAIR	AUDIO	SPKRAMP INR P	6 9
	DIFFPAIR	AUDIO	MAX98300 L N	9
	DIFFPAIR	AUDIO	MAX98300 L P	9

www.laptop-schematics.com

www.laptop-schematics.com

SYNC MASTER=(K24_MLB)		SYNC DATE=(04/06/2009)	
PAGE TITLE			
MCP Constraints 2			
DRAWING NUMBER		SIZE	
051-8925		D	
REVISION		BRANCH	
4.0.0			
NOTICE OF PROPRIETARY PROPERTY:			
THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING:			
I TO MAINTAIN THIS DOCUMENT IN CONFIDENCE			
II NOT TO REPRODUCE OR COPY IT			
III NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART			
IV ALL RIGHTS RESERVED			
PAGE		SHEET	
103 OF 103		13 OF 13	