

Compal Confidential


Cougar 2.0
Schematics Document
Intel Cedar Trail Processor/ Tiger point

2011-11-07
LA-6858P REV:1.0

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2010/06/27	Deciphered Date	2011/6/27	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Title	
				Cover Page	
				Size Custom	Rev 0.3
Date: Monday, November 07, 2011		Sheet 1 of 38			

Compal Confidential

Model Name : Cougar 2.0
Project Code : QBU00



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Block Diagrams	
Size	Document Number			Rev	
	QBU00			0.3	
Date	Wednesday, June 29, 2011			Sheet	2 of 38

Voltage Rails

Power Plane	Description	S1	S3	S5	G3
VIN	Adapter power supply (19V)	ON	ON	ON	OFF
B+	AC or battery power rail for power circuit.	ON	ON	ON	ON
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF	OFF
+GFX_CORE	GFX support voltage	ON	OFF	OFF	OFF
+0.75VS	0.75V switched power rail for DDR terminator	ON	OFF	OFF	OFF
+1.05VS	VCCP switched power rail	ON	OFF	OFF	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF	OFF
+1.5V	1.5V power rail for DDR	ON	ON	OFF	OFF
+1.8VS	1.8VS switched power rail	ON	OFF	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON	OFF
+3V_LAN	3.3V power rail for LAN	ON	ON	OFF	OFF
+3V_WLAN	3.3V power rail for LAN	ON	OFF	OFF	OFF
+3VS	3.3V switched power rail	ON	OFF	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON	OFF
+5VS	5V switched power rail	ON	OFF	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON	OFF
+RTCVCC	RTC power	ON	ON	ON	ON
+3VS_PRIME	3.3V power rail for CPU and PCH	ON	OFF	OFF	OFF

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

STATE \ SIGNAL	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1 (Power On Suspend)	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	LOW	ON	OFF	OFF	OFF

BTO Option Table

Function	Mini PCI-E SLOT			Display		Clock gen	
description							
explain	Wi-Fi	WWAN	3G	CRT	HDMI	Tpye	
BTO	WLAN@	WWAN@	3G@	CRT@	HDMI@	low@	normal@

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	EMC1402	1001 010X b


EC SM Bus2 address

NM10 SM Bus address

Device	Address
Clock Generator (SLG8SP56VTR)	1101 001Xb
DDR DIMMA	1010 000Xb
WWAN/WLAN	

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Notes List	
				Size Custom	Rev 0.3
				QBU00	
				Date: Wednesday, June 29, 2011	Sheet 3 of 38

QBU00 Power ON sequence



Power-on Sequence

Time	Description	Expected
T1	+5V/3VALW to PCH_RSMRST# inactive	>0ms
T2	PCH_RSMRST# inactive to SLP_S5# inactive	<110ms
T3	PWRBTN_OUT# inactive to SLP_S5# inactive	>0ms
T4	SLP_S5# inactive to SLP_S4# inactive	28.992us ~ 64.088us
T5	SLP_S4# inactive to SLP_S3# inactive	28.992us ~ 64.088us
T6	SLP_S4# inactive to +1.5V active	>0ms
T8	SLP_S3# inactive to +5VS inactive	>0ms
T9	+1.5VS active to +1.05VS active	>0ms
T10	+1.05VS active to +CPU_CORE	>0ms
T11	+CPU_CORE active to +3.3V_PRIME	>0ms
T12	+3.3V_PRIME active to +1.8VS	3.3-1.8<700mV
T16	H_PWRGD inactive to PLTRST# inactive	34<RTCCLK<41

Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			Title	
			Power sequence	
			Size	Document Number
			QBU00	
			Date:	Wednesday, June 29, 2011
			Sheet	4 of 38
			Rev	0.3

Cougar Power Map

B+

DESIGN CURRENT 250mA

Ipeak=6.97A, Imax=4.88A

DESIGN CURRENT 522mA

+3VALWP +-5%

TPS51125ARGER

** The SW just is reserved.
The power passes by jump or
0-ohm resistor.

WOL_EN#

** P-CHANNEL
AO3413

DESIGN CURRENT 300mA

+3V_LAN

Ipeak=3.98A, Imax=2.8A

DESIGN CURRENT 3010mA

+5VALWP +-5%

SUSP

N-CHANNEL
SI7326DN

DESIGN CURRENT 2286mA

+5VS

VGATE

APL5930KA

DESIGN CURRENT 151mA

+1.8VS

SUSP

N-CHANNEL
SI7326DN

DESIGN CURRENT 5586mA

+3VS

ENVDD

P-CHANNEL
AO3413

DESIGN CURRENT 2000mA

+LCD_VDD

VGATE#

N-CHANNEL
SI7326DN

DESIGN CURRENT 294mA

+3VS_PRIME

SUSP#

SY8033BDBC

Ipeak=1.308A, Imax=4A

DESIGN CURRENT 3489mA

+1.05VSP +-5%

VR_ON

RT8165BGQW

Imax=3.5A

DESIGN CURRENT 4500mA

+CPU_COREP

DESIGN CURRENT 2000mA

+GFX_COREP

SYSON

G5603RU1U

Ipeak=19.6A, Imax=13.72A

DESIGN CURRENT 2270mA

+1.5VP +-5%

SUSP#

SI7326DN

DESIGN CURRENT 2112mA

+1.5VSP

SUSP

G2992F1U

DESIGN CURRENT 500mA

+0.75VSP

Security Classification

Compal Secret Data

Compal Electronics, Inc.

Issued Date

2010/06/27

Deciphered Date

2011/6/27

Title

Power tree

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Size

Document Number

QBU00

Rev

0.3

Date:


Wednesday, June 29, 2011

Sheet

5



of

38




FSC	FSB	FSA	CPU	SRC	PCI	REF	DOT_96	USB
CLKSEL2	CLKSEL1	CLKSEL0	MHz	MHz	MHz	MHz	MHz	MHz
0	0	0	266	100	33.3	14.318	96.0	48.0
0	0	1	133	100	33.3	14.318	96.0	48.0
0	1	0	200	100	33.3	14.318	96.0	48.0
0	1	1	166	100	33.3	14.318	96.0	48.0
1	0	0	333	100	33.3	14.318	96.0	48.0
1	0	1	100	100	33.3	14.318	96.0	48.0
1	1	0	400	100	33.3	14.318	96.0	48.0
1	1	1						
Reserved								

	Normal Power	Low Power
R477	@	Stuff
R478	Stuff	@
R479	Stuff	@
R480	@	Stuff
R483	@	Stuff



2011.04.29 Reserve R305,C392 for RF






SRC PORT LIST

PORT	DEVICE
SRC0	CPU_DREFCLK
SRC2	
SRC3	CPU_EXP
SRC4	PCIE_SATA
SRC6	PCIE_WLAN
SRC7	
SRC8	
SRC9	PCIE_LAN
SRC10	PCIE_PCH
SRC11	PCIE_WWAN



REQ PORT LIST

PORT	DEVICE
REQ_3#	
REQ_4#	
REQ_6#	PEIC_WLAN
REQ_7#	
REQ_9#	PCIE_LAN
REQ_10#	
REQ_11#	PEIC_WWAN
REQ_A#	




Security Classification	Compal Secret Data	Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27
Title Clock Generator CK505			
Size	Document Number	Rev	0.3
Date: Wednesday, November 02, 2011 Sheet 9 of 38			


<6> DDR_A_DQS#[0..7]
<6> DDR_A_D[0..63]
<6> DDR_A_DM[0..7]
<6> DDR_A_DQS[0..7]
<6> DDR_A_MA[0..15]

Layout Note:
Place near JDDR1




2011.06.14 Add C119 for ESD issue



Layout Note:
Place one cap close to every 2 pullup
resistors terminated to +0.75VS








2011.06.14 Add C116 for ESD issue




<6> DDR_CKE2
<6> DDR_A_BS2
<6> M_CLK_DDR2
<6> M_CLK_DDR#2
<6> DDR_A_BS0
<6> DDR_A_WE#
<6> DDR_A_CAS#
<6> DDR_CS3#

DVT# SA0 change to
pull high +3VS







Security Classification	Compal Secret Data		Title	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	DDR II-SODIMMA
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom
FOX AS0A621-U4SG-7H				Document Number QBU00
0.65A@0.75V				Rev 0.3
Date: Wednesday, November 02, 2011				Sheet 10 of 38





2011.04.20 Stuff R544 for SPI mode

Signals have weak internal pull-ups






	GPIO17	GPIO48
SPI	0	1
PCI	1	0
LPC	1	1



Please closed Tiger point PIN within 500 mils




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Tigerpoint(1/4)	
Size		Document Number		Rev	
		QBU00		0.3	
Date:		Wednesday, November 02, 2011		Sheet 11 of 38	





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title Tigerpoint(4/4)	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number QBU00
				Rev 0.3	
				Date: Wednesday, June 29, 2011	Sheet 14 of 38

CRT CONNECTOR






Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/04/07	Deciphered Date	2012/10/21	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				CRT PORT	
Size		Document Number		Rev	
		QBU00		0.3	
Date		Friday, November 04, 2011		Sheet 15 of 38	

HDMI CONNECTOR




< HDMI Connector >




2011.05.04 Change Q42,Q43 to dual package.

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				HDMI PORT	
				Size	Document Number
					QBU00
				Date	Wednesday, November 02, 2011
				Sheet	16 of 38
				Rev	0.3


LCD POWER CIRCUIT




2011.05.22 Remove EDID pull up resistors for Intel issue




LED/PANEL BD. Conn.



2011.05.20 LCD brightness will controlled by CPU (DPST)




Int. Camera




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				LVDS /INVERTER	
Size		Document Number		Rev	
Date		Wednesday, November 02, 2011		Sheet 17 of 38	

```
2/25 PVT:Mount C479,C480 with 47pf
3/16 PVT:Add BOM Config of C481,C482 to WLAN@
```






3G current need to 2750mA 3/16 PVT:Add BOM Config of C481,C482 to 3GGPS@






MAX14566B


MAX14566B		
CB0 SLP_CHG_M4	CB1 (CEN#) SLP_CHG_M3	STATUS
0	0	AUTO MODE
0	1	Force Dedicated charger mode (MODE3)
1	X	Pass-Through (USB) Mode: Connect DP/DM to TDP/TDM



1.4




FIDUCIAL_C40M80




Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			USB Conn	
			Size	Document Number
			QB000	
Date:	Wednesday, 09/22/2011	[Sheet	19	of 38]

SATA Conn.




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Custom	0.3
				QBU00	
Date:		Wednesday, November 02, 2011		Sheet	20 of 38


SPEAKER




Ext.MIC/LINE IN JACK



MIC




Head phone











Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			Audio Jack MIC/HP	
			Size	Document Number
			Custom	QBU00
			Date	Wednesday, November 02, 2011
			Sheet	22 of 38
			Rev	0.3



2011.04.20 Change to port 1



2011.04.26 Change control signal to EC_SWI#




+3VALW TO +3V_LAN




2011/04/18 Add D56 for ESD request

Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2010/06/27		Deciphered Date		2011/6/27		Title			
								LAN RTL8105E			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						Size		Document Number		Rev	
						Custm				0.	
Date: Wednesday, November 02 2011						ISheet		23		of 38	


	XD_CD#		
SP1	XD_RDY#	SD_WP	MS_CLK
SP2	XD_RE#		MS_INS#
SP3	XD_CE#	SD_D1	
SP4	XD_CLE	SD_D0	MS_D7
SP5	XD_ALE	SD_D7	MS_D3
SP6	XD_WE#	SD_CD#	
SP7	XD_WP	SD_D6	MS_D6
SP8	XD_D0	SD_CLK	MS_D2
SP9	XD_D1	SD_D5	MS_D0
SP10	XD_D2	SD_CMD	
SP11	XD_D3	SD_D4	MS_D4
SP12	XD_D4	SD_D3	MS_D1
SP13	XD_D5	SD_D2	MS_D5
SP14	XD_D6		MS_BS
	XD_D7		



2 in 1 Card Reader




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/27	Deciphered Date	2011/6/27	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	QBU00
				Date:	Wednesday, November 02, 2011
				Sheet	24 of 38
				Rev	0.3




SPI Flash (1Mb*1)


2011.06.07 Change U36 Footprint





SPI ROM on PCH => 2M Byte



FAN Control Circuit




KEYBOARD CONN.




Security Classification		Compal Secret Data		Title SBI ROM//KB//FAN/Debug Poart	
Issued Date	2010/06/27	Deciphered Date	2011/6/27		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Size	Document Number QBU00				Rev 0.3
Date:	Wednesday, November 02, 2011		Sheet	26	of 38


Power Button




Touch/B Connector



LED Conn




ISPD




Security Classification		Compal Secret Data				Compal Electronics, Inc.							
Issued Date		2010/06/27		Deciphered Date		2011/6/27		Title					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.								ON/OFF /TP Conn/LEDS					
								Size	Document Number	QBU00		Rev	0.3
								Date:		Friday, November 04, 2011		Sheet	27 of 38
C		D											




+3VALW TO +3VS




+5VALW TO +5VS




+3VS TO +3VS_PRIME



+1.5V TO +1.5VS












2011.06.14 Add C1128 for ESD issue




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/04/07	Deciphered Date	2012/10/21	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				DC INTERFACE	
Size	Custom	Document Number	QBU00	Rev	
Date:	Wednesday, November 02, 2011	Sheet	28	of 38	



DC301001M80




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/06/12	Deciphered Date	2010/06/12	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				DCIN & DETECTOR		
Size	Document Number					Rev
	Cedar trail					0.3
Date:	Wednesday, November 02, 2011	Sheet	29	of	38	




PH1 under CPU botten side :
 CPU thermal protection at 95 degree C
 Recovery at 56 degree C





Vin Detector	
High	18.089V
Low	17.44V



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2010/01/25	Deciphered Date	2009/04/28	Title	CHARGER	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPT AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Custom	Cedar trail	0.3
Date:				Wednesday, November 02, 2011	Sheet	31 of 38



Ipeak=6.11A
Imax=4.277A
F=375KHz
Total Capacitor 150uF,
ESR 35mohm

Ipeak=5.3A
Imax=3.71A
F=300KHz
Total Capacitor 150uF,
ESR 35mohm


Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2009/11/13	Deciphered Date	2009/04/28	Title +3VALWP/+5VALWP		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number Cedar trail	Rev 0.3
				Date	Wednesday, November 02, 2011	Sheet 32 of 38



$I_{peak} = 1.8A$
 $I_{LIM} = 1.26A$
 $F = 1MHz$
 Total Capacitor 330uF, 9mohm

Pin 1 define same with Pin 2 & Pin 3 that just for SY8035 ,
 SY8035 is for 5A loading , let LX shape can bigger!!

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/01/25	Deciphered Date	2009/04/28	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Custom	0.3
				Document Number	Cedar trail
				Date:	Wednesday, November 02, 2011
				Sheet	34 of 38



PIR (Product Improve Record)

QBU00 LA-6858P SCHEMATIC CHANGE LIST
REVISION CHANGE: 0.1

NO DATE PAGE MODIFICATION LIST				PURPOSE
01.	04/ 26	06	Delete C948,C949,C950,C951	ES2 CPU only support 2 pairs DMI
02.	04/ 26	06	Add DDR_A MA15 signal in CPU side	Cedar Trail platform supports MA0-MA15 total sixteen address signals
03.	04/ 26	07	Reserve 0 ohm for DDC_SCL / SDA , HPD, BREF1P5V, BREFREXT connect to GND.	Follow Intel V1.0 check list to disable HDMI
04.	04/ 26	07	Add CRT DAC,SYNC signals and add RV155,RV156,RV157 150 ohm pull down resistor for CRT DAC signal.	Follow Intel V1.0 check list to enable RGB I/F
05.	04/ 26	08	Reserve 0 ohm for VCCADP / VCCADP_SFR connect to GND	Follow Intel V1.0 check list to disable HDMI
06.	04/ 26	08	Add R1004,C166 for +VCCDIO / R535,C1125 for +VCC_CRT_DAC	Follow Intel V1.0 check list to enable RGB I/F
07.	04/ 26	10	Add MA15 signal for SODIMM connector	Cedar Trail platform supports MA0-MA15 total sixteen address signals
08.	04/ 26	11	Stuff R544	System will change to non-share ROM design, PCH STRAP2/1 will be 01
09.	04/ 26	12	Change PCIe port arrangement	Follow BIOS team's request to re-arrang PCIe port for power saving.
10.	04/ 26	13	Use BOM option for R931,R932,R933,R934	Follow Intel V1.0 check list to disable HDMI
11.	04/ 26	13	Add J2 and C1087 for PCH GPIO12	BIOS will use GPIO12 for clean password function.
12.	04/ 26	13	Add R566,R567,R618 10K pull high resistors for PCH SPI I/F	System will change to non-share ROM design
13.	04/ 26	15	Add CRT circuit	Follow Intel PDG and V1.0 check list to implement CRT circuit
14.	04/ 26	19	Change USB charger(US1) solution to MAX14566B	Follow A51 common design
15.	04/ 26	19	Reserve US2 bus switch	Support BIOS team's new debug card.
16.	04/ 26	19	Change US4 USB power switch to 2A	Support USB charge V1.1 SPEC--->support 1.8A
17.	04/ 26	23	Change LOM_WAKE# control signal to EC_SWI#	LOM WAKE# will connect to PCH directly and change net name to "EC_SWI#"
18.	04/ 26	25	Change KBC to KB930/KB9012	Follow EC team KB930/KB9012 common design
19.	04/ 26	26	Add U22 -->2MB SPI ROM	System will change to non-share ROM design
20.	04/ 28	18	Reserve 0 ohm and test points in JGPS pin1/3/5/44/46/51	Cougar 2.0 will support new 3G/LTE module
21.	04/ 29	25	Delete C211,C212,C216,C217	RF team has no necessity
22.	04/ 29	07	Delete 220p caps for sideband signals.	EMC team has no necessity
23.	04/ 29	09	Delete C940,C941	RF team has no necessity
24.	04/ 29	09	Delete C1067,C1066	RF team has no necessity
25.	04/ 29	09	Reserve R305,C392 for SMBus_CLK	Reserve R-C for RF team's requirement
26.	04/ 29	17	Delete C227,C228,C290,C230,C231,C232,C1074,C1075	RF team has no necessity
27.	04/ 29	18	Delete C307,C298,C297	RF team has no necessity
28.	05/ 03	07	Add R984 0 ohm resistor for XDP pin17	Reserve 0 ohm for XDP when XDP connector no use.
29.	05/ 04	16	Change Q42,Q43 to dual package	Save layout space and cost
30.	05/ 06	07	Add R989 (0 ohm) for XDP signal	Reserve 0 ohm for XDP when XDP connector no use.
31.	05/ 10	15	Delete D53,F1,C1110	Share 5V with CRT circuit.
32.	05/ 10	07	Change XDP un-define net name	Follow naming rule

QBU00 LA-6858P SCHEMATIC CHANGE LIST
REVISION CHANGE: 0.2

NO DATE PAGE MODIFICATION LIST				PURPOSE
01.	06/ 07	07	Remove XDP connector	XDP debug port is no necessary in PVT
02.	06/ 07	08	Keep +VCCADP_1.05, +VCCADP_SFR power rail even disable DDI interface	Intel correct their DDI disable guideline
03.	06/ 07	26	Change U36 Symbol and footprint	Fix DFB issue
04.	06/ 10	13	Change J1 to JCMOS, J2 to JPW	Follow A51 jumper naming rule
05.	06/ 10	19	Remove US2 USB bus switch	PVT won't reserve USB debug port
06.	06/ 14	08	Stuff 1u (C1007,C1008,C1009) on GFX_CORE	To solve ESD issue
07.	06/ 14	28	Add 0.1u (C1128) on +0.75VS power rail	To solve ESD issue
08.	06/ 14	10	Add 0.1u (C116) on +0.75VS power rail	To solve ESD issue
09.	06/ 14	10	Add 0.1u (C119) on +1.5V power rail	To solve ESD issue
10.	06/ 14	10	Add 0.1u (C406) on +1.5V power rail	To solve ESD issue
11.	06/ 14	27	Add 1u (C406) on touch pad power rail	To solve ESD issue
12.	06/ 15	13	Change PCH SPI I/F pull high to +3VS	To solve S3/S5 +3VS power plan leakage issue
13.	06/ 16	20	Stuff 0.1u (C280) on +3VS power rail	To solve ESD issue
14.	06/ 18	07	Add R1009, R1010 for DDI1_DDC_SCL/SDA	Follow Intel DDI disable guideline

Security Classification		Compal Secret Data				Compal Electronics, Inc.					
Issued Date		2009/04/07		Deciphered Date		2012/10/21		Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						HW PIR					
						Size		Document Number		Rev	
								QBU00		0.3	
				Date:		Wednesday, November 02, 2011		[Sheet 36 of 38]			

PIR (Product Improve Record)

QBU00 LA-6858P SCHEMATIC CHANGE LIST
REVISION CHANGE: 0.3

NO DATE PAGE MODIFICATION LIST				PURPOSE
01.	06/ 29	09	Swap CLK Gen output for CPU_SCDREFFCLK and CPU_DREFCLK	Intel recommend CPU_SSCDREFFCLK use SSC CLK

QBU00 LA-6858P SCHEMATIC CHANGE LIST
REVISION CHANGE: 1.0

NO DATE PAGE MODIFICATION LIST				PURPOSE
01.	08/ 29	07	Change R975 from 10ohm to 0 ohm	Follow Intel CRB design.
02.	08/ 29	25	Un-stuff R312,R313	KS01,KS02 of KB930 don't need to pull high.
03.	08/ 29	27	Add 1u(C406) on touch pad power rail.	To solve ESD issue

Security Classification		Compal Secret Data		Title					
Issued Date		2009/04/07		Deciphered Date					
		2012/10/21		2012/10/21					
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size		Document Number		Rev	
						QBU00		0.3	
				Date:		Wednesday, November 02, 2011		Sheet	

NO	DATE	PAGE	MODIFICATION LIST	PURPOSE
2011/06/14		32	PR336, PR356 to 1206 4.7ohm; PC336, PC356 to 0603 680pF	For EMI Solution
2011/06/14		35	PR526, PR528, PR569, PR571 to @ PR506, PR516 to 1206 4.7ohm; PC506, PC516 to 0603 680pF	For EMI Solution
2011/06/14		33	PU150 change to RT8209MGQW	
2011/06/14		33	PR157 change to S RES 1/16W 7.87K +-1% 0402	For OCP Solution
2011/06/14		35	PC550 to @	Reserve PC550 location and change it to 5.3mm cap (SF000003Z00) for ME solution
2011/06/21		35	PC536 to 42.2K	Change PR536 to 42.2Kohm to meet Cedar Trail loadline spec
2011/06/27		35	PH505, PR542, PR543, PH504, PR559, PR560 to @ PR545, PR558, PR530, PR567 to 0ohm PR541 to 3.62K, PR544 to 1.69K, PR556 to 10K PR557 to 2K, PR536 to 39K	For Cedar Trail loadline spec
2011/06/27		35	PR582, PR583 to 35.7K	For CPU & GFX OCP Solution
2011/06/27		35	PL503 to 2.2uH	Base on GFX_Core ripple & dynamic test result
2011/06/27		35	PR584 to 0_0402_5%	For AP Code material
2011/11/1		29	PF1 change to SART 5A_32V_S1206-H-5.0A	For burn out issue
2011/11/1		30	PF2 change to Cooper 7A_32V_TR/3216FF-R	For burn out issue
2011/11/1		32	PU330 change to RT8205EGQW	For burn out issue
2011/11/1		35	PC550 change to Lelon 68uF 5.3H	For acoustic issue

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2010/11/11	Deciphered Date	2011/11/11	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Power PIR		
				Size Custom	Document Number PEQAE LA-7291P M/B	Rev 0.3
				Date: Wednesday, November 02, 2011	Sheet 38	of 38