

Compal Confidential


QIWY3 M/B Schematics Document

Intel IVY Bridge Processor with DDRIII + Panther Point PCH
nVIDIA N13X

2011-12-23

REV: 1.0

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Cover Page		
				Size Custom	Document Number QIWY3 LA-8001P	Rev 1.0
				Date: Monday, January 16, 2012 Sheet 1 of 64		



Voltage Rails				
power plane				
State				
				+5VS +3VS +1.5VS +VCCSA +V1.5S_VCCP +CPU_CORE +VGA_CORE +GFX_CORE +1.8VS +1.05VS +0.75VS +3.3VS_VGA +1.5VS_VGA +1.05VS_VGA
	+B	+5VALW +3VALW	+1.5V	
S0	O	O	O	O
S3	O	O	O	X
S5 S4/AC	O	O	X	X
S5 S4/ Battery only	O	X	X	X
S5 S4/AC & Battery don't exist	X	X	X	X

SMBUS Control Table

	SOURCE	VGA	BATT	KE9012	SODIMM	WLAN WWAN	Thermal Sensor	PCH
SMB_EC_CK1 SMB_EC_DA1	KB9012 +3VALW	X	V +3VALW	X	X	X	X	X
SMB_EC_CK2 SMB_EC_DA2	KB9012 +3VALW	X	X	X	X	X	X	V +3VS
SMBCLK SMBDATA	PCH +3VALW	X	X	X	V +3VS	V +3VS	X	X
SML0CLK SML0DATA	PCH +3VALW	X	X	X	X	X	X	X
SML1CLK SML1DATA	PCH +3VALW	V +3VS	X	V +3VS	X	X	V +3VS	X

EC SM Bus1 address EC SM Bus2 address

Device	Address	Device	Address
Smart Battery	0001 011X b	Thermal Sensor EMC1403-2	1001_101xb

PCH SM Bus address

Device	Address
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb



STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1 (Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

BOARD ID Table

Board ID	PCB Revision
0	0.1
1	
2	
3	
4	
5	
6	
7	

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%					
Ra/Rc/Re	10K +/- 5%					
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max	Project	
0	0	0 V	0 V	0 V	QIWI3	EVT
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V	QIWI3	DVT
2	18K +/- 5%	0.436 V	0.503 V	0.538 V	QIWI3	PVT
3	33K +/- 5%	0.712 V	0.819 V	0.875 V	QIWI3	MP
4	56K +/- 5%	1.036 V	1.185 V	1.264 V	QIWI4	EVT
5	100K +/- 5%	1.453 V	1.650 V	1.759 V	QIWI4	DVT
6	200K +/- 5%	1.935 V	2.200 V	2.341 V	QIWI4	PVT
7	NC	2.500 V	3.300 V	3.300 V	QIWI4	MP

USB Port Table

USB 2.0	USB 3.0	Port	4 External USB Port
EHCI1	XHCI	1	0
		2	1
		3	2
		4	3
EHCI2		5	4
		6	5
		7	6
		8	7
		9	8
		10	9
		11	10
		12	11
		13	12

PCIE PORT LIST

Port	Device
1	LAN
2	WLAN
3	TV
4	Card Reader
5	
6	
7	
8	


BOM Structure Table

BOM Structure	BTO Item
OPTI@	OPTIMUS part
HDMI@	HDMI part
TV@	TV module part
CHG@	USB charger part
NOCHG@	No USB charger part
BT@	Blue Tooth part
CMOS@	CMOS Camera part
8161@	AR8161 LAN part
8151@	AR8151 LAN part
8161S@	AR8161 LAN surge part
8151S@	AR8151 LAN surge part
SURGE@	AR8151&8161 LAN surge part
61@	X76 P/N for AR8161
51@	X76 P/N for AR8151
X76@	X76 Level part for VRAM
S1G@	X76 P/N for Samsun VRAM 1G
S2G@	X76 P/N for Samsun VRAM 2G
H1G@	X76 P/N for Hynix VRAM 1G
H2G@	X76 P/N for Hynix VRAM 2G
GL@	N13P-GL part
GT@	N13P-GT part
GE@	N13E-GE part
GTGE@	N13P-GT&N13E-GE common part
GC6@	NV CG6 support part
NOGC6@	NV no CG6 support part
1403@	EMC1403 thermal part
2103@	EMC2103 thermal part
KBL@	K/B Light part
ME@	ME part
@	Unpop


Hot plug detect for IFP link C

VGA and GDDR5 Voltage Rails (N13Px GPIO)

GPIO	I/O	ACTIVE	Function Description	
GPIO0	OUT	-	GPU VID4	
GPIO1	OUT	-	GPU VID3	
GPIO2	OUT	N/A		
GPIO3	OUT	N/A		
GPIO4	OUT	N/A		
GPIO5	OUT	-	GPU VID1	
GPIO6	OUT	-	GPU VID2	
GPIO7	OUT	N/A		
GPIO8	I/O	-	Thermal Catastrophic Over Temperature	
GPIO9	OUT	-	GC6 event	
GPIO10	OUT	-	Memory VREF Control	
GPIO11	OUT	-	GPU VID0	
GPIO12	IN		AC Power Detect Input	(10K pull High)
GPIO13	OUT	-	GPU VID5	
GPIO14	OUT	N/A		
GPIO15	IN	N/A	(100K pull low)	
GPIO16	OUT	N/A		
GPIO17	IN	N/A		
GPIO18	IN	N/A		
GPIO19	IN	N/A		



1. all power rail ramp up time should be larger than 40us



1.all GPU power rails should be turned off within 10ms
2. Optimus system VDD33 avoids drop down earlier than NVDD and FBVDDQ

Performance Mode P0 TDP at Tj = 102 C* (GDDR5)

Products	GPU (4)	Mem (1,5)	NVCLK /MCLK	NVVDD			FBVDD (1.35V)		FBVDDQ (GPU+Mem) (1.35V)		PCI Express (1.05V) (6)		I/O and PLLVDD (1.8V)		I/O and PLLVDD (1.05V)		Other (3.3V)	
	(W)	(W)	(MHz)	(V)	(A)	(W)	(A)	(W)	(A)	(W)	(mA)	(W)	(mA)	(W)	(mA)	(W)	(mA)	(W)
N13X 128bit 1GB GDDR5	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

Physical Strapping pin		Power Rail		Logical Strapping Bit3		Logical Strapping Bit2		Logical Strapping Bit1		Logical Strapping Bit0	
ROM_SCLK		+3VS_VGA		PCI_DEVID[4]		SUB_VENDOR		SLOT_CLK_CFG		PEX_PLL_EN_TERM	
ROM_SI		+3VS_VGA		RAM_CFG[3]		RAM_CFG[2]		RAM_CFG[1]		RAM_CFG[0]	
ROM_SO		+3VS_VGA		FB[1]		FB[0]		SMB_ALT_ADDR		VGA_DEVICE	
STRAP0		+3VS_VGA		USER[3]		USER[2]		USER[1]		USER[0]	
STRAP1		+3VS_VGA		3GIO_PAD_CFG_ADR[3]		3GIO_PAD_CFG_ADR[2]		3GIO_PAD_CFG_ADR[1]		3GIO_PAD_CFG_ADR[0]	
STRAP2		+3VS_VGA		PCI_DEVID[3]		PCI_DEVID[2]		PCI_DEVID[1]		PCI_DEVID[0]	
STRAP3		+3VS_VGA		SOR3_EXPOSED		SOR2_EXPOSED		SOR1_EXPOSED		SOR0_EXPOSED	
STRAP4		+3VS_VGA		RESERVED		PCIE_SPEED_CHANGE_GEN3		PCIE_MAX_SPEED		DP_FLL_VDD33V	

	Device ID
N13P-GT (28nm)	0x0FDB
N13E-GE (28nm)	0x0FDB
N13P-GL1 (40nm)	0x0DE9


GPU	ROM_SO	ROM_SCLK	STRAP4	STRAP3	STRAP2	STRAP1	STRAP0
N13P-GT	PU 10K	PU 5K	PD 45K	PD 5K	PD 10K	PD 35K	PU 45K
N13E-GE	PU 10K	PU 5K	PD 45K	PD 5K	PD 25K	PD 35K	PU 45K
N13P-GL	PD 10K	PD 15K	NC	NC	PU 10K	PD 45K	PU 45K


GPU		N13P-GT	N13E-GE	N13P-GL
FB Memory (GDDR5)		ROM_SI	ROM_SI	ROM_SI
Samsung 2500MHz	K4G10325FG-HC04			
	32Mx32	PD 45K	PD 45K	PD 45K
Hynix 2500MHz	H5GQ1H24BFR-T2C			
	32Mx32	PD 35K	PD 35K	PD 35K
Samsung 2500MHz	K4G20325FD-FC04			
	64Mx32	PD 30K	PD 30K	PD 30K
Hynix 2500MHz	H5GQ2H24MFR-T2C			
	64Mx32	PD 25K	PD 25K	PD 25K

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date		2011/07/21		Deciphered Date		2012/12/31
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		Title		VGA Notes List		
Size		Document Number		QIWAY3 LA-8001P		Rev 1.0
Date:		Monday, January 16, 2012		Sheet		4 of 64


eDP_COMPIO and ICOMPO signals should be shorted near balls and routed with typical impedance <25 mohms

PEG_ICOMPI and RCOMPO signals should be shorted and routed with - max length = 500 mils - typical impedance = 43 mohms
PEG_ICOMPO signals should be routed with - max length = 500 mils - typical impedance = 14.5 mohms







CFG Straps for Processor




PEG Static Lane Reversal - CFG2 is for the 16x	
CFG2	1: Normal Operation; Lane # definition matches socket pin map definition * 0: Lane Reversed




Display Port Presence Strap	
CFG4	* 1 : Disabled; No Physical Display Port attached to Embedded Display Port 0 : Enabled; An external Display Port device is connected to the Embedded Display Port





PCIE Port Bifurcation Straps	
CFG[6:5]	* 11: (Default) x16 - Device 1 functions 1 and 2 disabled 10: x8, x8 - Device 1 function 1 enabled ; function 2 disabled 01: Reserved - (Device 1 function 1 disabled ; function 2 enabled) 00: x8,x4,x4 - Device 1 functions 1 and 2 enabled













PEG DEFER TRAINING	
CFG7	1: (Default) PEG Train immediately following xxRESETB de assertion 0: PEG Wait for BIOS for training













Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	PCH (3/8) DMI, FDI, PM,	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Rev 1.0
				Document Number	QIWIY3 LA-8001P
				Date: Monday, January 16, 2012	Sheet 16 of 64





Function	PCH_GPIO38	PCH_GPIO67	PCH_GPIO70	PCH_GPIO69
SG	0	0	X	X
Reserve	0	1	X	X
DIS	1	0	X	X
UMA	1	1	X	X
14"	X	X	0	0
14"L	X	X	0	1
15"	X	X	1	0
Reserve	X	X	1	1





Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title PCH (6/9) GPIO, CPU, MISC		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number QIYW3 LA-8001P	Rev 1.0
				Custom		
				Date:	Monday, January 16, 2012	Sheet



Security Classification		Compal Secret Data		Compal Electronics, Inc. PCH (8/9) PWR	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev 1.0
				Document Number QIYW3 LA-8001P	
Date: Monday, January 16, 2012				Sheet 21 of 64	








Security Classification	Compal Secret Data			N13P-PES-A1_FCBGA908		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title			
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev	1.0
				Date:	Monday, January 16, 2012	Sheet	26 of 64


Memory Partition A - Lower 32 bits




GDDR5 Mode H - Mirror Mode Mapping

Address	DATA Bus
0..31	32..63
FBx_CMD0	CS#
FBx_CMD1	A3_BA3
FBx_CMD2	A2_BA0
FBx_CMD3	A4_BA2
FBx_CMD4	A5_BA1
FBx_CMD5	WE#
FBx_CMD6	A7_A8
FBx_CMD7	A6_A11
FBx_CMD8	AB1#
FBx_CMD9	A12_RFU
FBx_CMD10	A0_A10
FBx_CMD11	A1_A9
FBx_CMD12	RAS#
FBx_CMD13	RST#
FBx_CMD14	CKE#
FBx_CMD15	CAS#
FBx_CMD16	
FBx_CMD17	A3_BA3
FBx_CMD18	A2_BA0
FBx_CMD19	A4_BA2
FBx_CMD20	A5_BA1
FBx_CMD21	WE#
FBx_CMD22	A7_A8
FBx_CMD23	A6_A11
FBx_CMD24	AB1#
FBx_CMD25	A12_RFU
FBx_CMD26	A0_A10
FBx_CMD27	A1_A9
FBx_CMD28	RAS#
FBx_CMD29	RST#
FBx_CMD30	CKE#
FBx_CMD31	CAS#

Memory Partition A - Upper 32 bits



Memory Partition C - Lower 32 bits




GDDR5
Mode H - Mirror Mode Mapping

	DATA Bus	
Address	0..31	32..63
FBx_CMD0	CS#	
FBx_CMD1	A3_BA3	
FBx_CMD2	A2_BA0	
FBx_CMD3	A4_BA2	
FBx_CMD4	A5_BA1	
FBx_CMD5	WE#	
FBx_CMD6	A7_A8	
FBx_CMD7	A6_A11	
FBx_CMD8	AB1#	
FBx_CMD9	A12_RFU	
FBx_CMD10	A0_A10	
FBx_CMD11	A1_A9	
FBx_CMD12	RAS#	
FBx_CMD13	RST#	
FBx_CMD14	CKE#	
FBx_CMD15	CAS#	
FBx_CMD16		CS#
FBx_CMD17		A3_BA3
FBx_CMD18		A2_BA0
FBx_CMD19		A4_BA2
FBx_CMD20		A5_BA1
FBx_CMD21		WE#
FBx_CMD22		A7_A8
FBx_CMD23		A6_A11
FBx_CMD24		AB1#
FBx_CMD25		A12_RFU
FBx_CMD26		A0_A10
FBx_CMD27		A1_A9
FBx_CMD28		RAS#
FBx_CMD29		RST#
FBx_CMD30		CKE#
FBx_CMD31		CAS#

Security Classification		Compal Secret Data		Compal Electronics, Inc. N13P-VRAM C Lower	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT WHICH IS AUTHORIZED BY COMPAL ELECTRONICS, INC. TO DISCLOSE THE INFORMATION. THE INFORMATION CONTAINED MAY BE USED OR BY DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number QWY3-1A-8001P
Date:	Monday, January 16, 2012		Sheet	39	Rev 1.0 of 64


Memory Partition C - Upper 32 bits



GDDR5
Mode H - Mirror Mode Mapping

	DATA Bus	
Address	0..31	32..63
FBx_CMD0	CS#	
FBx_CMD1	A3_BA3	
FBx_CMD2	A2_BA0	
FBx_CMD3	A4_BA2	
FBx_CMD4	A5_BA1	
FBx_CMD5	WE#	
FBx_CMD6	A7_A8	
FBx_CMD7	A6_A11	
FBx_CMD8	AB1#	
FBx_CMD9	A12_RFU	
FBx_CMD10	A0_A10	
FBx_CMD11	A1_A9	
FBx_CMD12	RAS#	
FBx_CMD13	RST#	
FBx_CMD14	CKE#	
FBx_CMD15	CAS#	
FBx_CMD16		CS#
FBx_CMD17		A3_BA3
FBx_CMD18		A2_BA0
FBx_CMD19		A4_BA2
FBx_CMD20		A5_BA1
FBx_CMD21		WE#
FBx_CMD22		A7_A8
FBx_CMD23		A6_A11
FBx_CMD24		AB1#
FBx_CMD25		A12_RFU
FBx_CMD26		A0_A10
FBx_CMD27		A1_A9
FBx_CMD28		RAS#
FBx_CMD29		RST#
FBx_CMD30		CKE#
FBx_CMD31		CAS#

Security Classification		Compal Secret Data		Title	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Compal Electronics, Inc. N13P-VRAM C Upper	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. IT IS NOT TO BE REPRODUCED, COPIED, OR DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	1.0
				QWY3 LA-8001P	
Date	Monday, January 18, 2012		Sheet	31	of 64



Physical Strapping pin	Power Rail	Logical Strapping Bit3	Logical Strapping Bit2	Logical Strapping Bit1	Logical Strapping Bit0
ROM_SCLK	+3VS_VGA	PCI_DEVID[4]	SUB_VENDOR	SLOT_CLK_CFG	PEX_PLL_EN_TERM
ROM_SI	+3VS_VGA	RAM_CFG[3]	RAM_CFG[2]	RAM_CFG[1]	RAM_CFG[0]
ROM_SO	+3VS_VGA	FB[1]	FB[0]	SMB_ALT_ADDR	VGA_DEVICE
STRAP0	+3VS_VGA	USER[3]	USER[2]	USER[1]	USER[0]
STRAP1	+3VS_VGA	3GIO_PAD_CFG_ADR[3]	3GIO_PAD_CFG_ADR[2]	3GIO_PAD_CFG_ADR[1]	3GIO_PAD_CFG_ADR[0]
STRAP2	+3VS_VGA	PCI_DEVID[3]	PCI_DEVID[2]	PCI_DEVID[1]	PCI_DEVID[0]
STRAP3	+3VS_VGA	SOR3_EXPOSED	SOR2_EXPOSED	SOR1_EXPOSED	SOR0_EXPOSED
STRAP4	+3VS_VGA	RESERVED	PCIE_SPEED_CHANGE_GEN3	PCIE_MAX_SPEED	DP_PLL_VDD33V

Resistor Values	Pull-up to +3VS_VGA	Pull-down to Gnd
5K	1000	0000
10K	1001	0001
15K	1010	0010
20K	1011	0011
25K	1100	0100
30K	1101	0101
35K	1110	0110
45K	1111	0111

3GIO_PADCFG		XCLK_417	
3GIO_PADCFG[3:0]		0	277MHz (Default)
0110	Notebook Default	1	Reserved

SLOT_CLK_CFG	
0	GPU and MCH don't share a common reference clock
1	GPU and MCH share a common reference clock (Default)

SMBUS_ALT_ADDR	
0	0x9E (Default)
1	0x9C (Multi-GPU usage)

VGA_DEVICE	
0	3D Device (Class Code 302h)
1	VGA Device (Default)

SUB_VENDOR	
0	No VBIOS ROM
1	BIOS ROM is present (Default)


FB_0_BAR_SIZE	
0	Reserved
1	Reserved
2	256MB (Default)
3	Reserved





USER Straps	
User[3:0]	
1000-1100	Customer defined

PEX_PLL_EN_TERM	
0	Disable (Default)
1	Enable



PCIE_MAX_SPEED	
0	Limit to PCIE Gen1
1	PCIE Gen 2/3 Capable

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number	Rev 1.0
				Date:	Monday, January 16, 2012	Sheet 32 of 64







Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				CRT Connector	
Size	Custom	Document Number	QIWIY3 LA-8001P	Rev	1.0
Date:	Monday, January 16, 2012	Sheet	34	of	64






<17>	HDMI_CLK+_CK	R865	1	@	2	0.0402	5%	HDMI_CLK+_CONN
<17>	HDMI_CLK-_CK	R866	1	@	2	0.0402	5%	HDMI_CLK-_CONN
<17>	HDMI_TX0+_CK	R867	1	@	2	0.0402	5%	HDMI_TX0+_CONN
<17>	HDMI_TX0-_CK	R868	1	@	2	0.0402	5%	HDMI_TX0-_CONN
<17>	HDMI_TX1+_CK	R869	1	@	2	0.0402	5%	HDMI_TX1+_CONN
<17>	HDMI_TX1-_CK	R870	1	@	2	0.0402	5%	HDMI_TX1-_CONN
<17>	HDMI_TX2+_CK	R871	1	@	2	0.0402	5%	HDMI_TX2+_CONN
<17>	HDMI_TX2-_CK	R872	1	@	2	0.0402	5%	HDMI_TX2-_CONN



Security Classification		Compal Secret Data		Title	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	HDMI CONN	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Custom	QIWIY3 LA-8001P
				Date	Monday, January 16, 2012
				Sheet	35 of 64

Mini-Express Card for WLAN/WiMAX(Half)
Mini-Express Card for SSD(Full)






11/08 Increase for LAN S5 power saving

Layout Notice : Place as close chip as possible.



Vendor recommend reseve the PU resistor close LAN chip



Place Close to Chip





Vendor recommend reseve the PU resistor close LAN chip




<15> PCH_LAN_48M


Place Close to C968




	LX Voltage <Pin 40>	Configure
AR8151	+1.7V <VDDCT>	R1356,C955
AR8161	+1.1V <DVDDL,AVDDL>	R1357,R1372,L76




H --> Overclocking mode
L --> Not overclocking mode



Place Close to PIN1




Place Close to LAN chip



Note : C938, C940, C942, 944, reserved for EMI.


For AR8151: Stuff 49.9K and 0.1u

For AR8161: NC




For AR8151: Stuff R1368 for +AVDD3.3
For AR8161: Stuff R1367,C949 for +AVDDH






Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				LAN-AR8151/8161
Size	Document Number	QIWI3 LA-8001P	Rev	1.0
Date	Monday, January 16, 2012	Sheet	37	of 64



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				LAN_Transformer	
Size	Document Number	QIWIY3 LA-8001P		Rev	
3				1.0	
Date:	Monday, January 16, 2012	Sheet	38	of	64




1403:
@C982/@C984=100p




Shutdown Temp	TRIP_SET R1387 (1%)
93	953ohm
94	1020ohm
95	1100ohm
96	1150ohm
97	1240ohm
98	1330ohm
99	1400ohm
100	1500ohm
101	1580ohm
102	1690ohm
103	1820ohm
104	1960ohm
105	2050ohm

Security Classification		Compal Secret Data				Compal Electronics, Ltd.						
Issued Date		2011/07/21		Deciphered Date		2012/12/31		Title				
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.						EMC1403/2103 Thermal sensor/FAN						
						Size Custom	Document Number			QIWIY3 LA-8001P		Rev 1.0
						Date: Monday, January 16, 2012		Sheet 39		of 64		


SATA HDD Conn.




SATA ODD Conn.





ODD Power Control





Security Classification		Compal Secret Data		Title	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size B	Document Number
				HDD/ODD Connector	
				QIY3 LA-8001P	
				Date: Monday, January 16, 2012	Rev 1.0
				Sheet 40 of 64	




Pin Assignment	Location	Function
SPK-OUT (Pin40/41/44/45)	Internal	Int Speaker
Capless HP-OUT (Pin32/33)	External	Headphone out
MIC1 (Pin21/22)	External	Mic in





wide 25MIL







INT_KBD Conn.




CONN PIN define need double check


To TP/B Conn.



EC DEBUG PORT





Lid Switch




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2011/07/21		Deciphered Date	
2012/12/31		Title		KB /SW /LPC Debug Conn.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		Size B		Document Number	
Date:		Monday, January 16, 2012		Sheet 43 of 64	
				Rev 1.0	

LED




BT MODULE CONN





Security Classification				Compal Secret Data				Compal Electronics, Inc.			
Issued Date				2011/07/21		Deciphered Date		2012/12/31		Title	
										LED/EC SPI ROM/BT	
										Size B Document Number	
										QIWIY3 LA-8001P	
										Rev 1.0	
										Date: Monday, January 16, 2012	
										Sheet 44 of 64	

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.



LEFT SIDE USB3.0 PORT X2




For EMI request
 USB2.0 choke --> SM070000I00
 USB3.0 Choke --> SM070001U00



For ESD request




For ESD request




Security Classification		Compal Secret Data For EMI request		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				USB3.0 ports	
Size	Custom	Document Number	QIWIY3 LA-8001P		Rev
Date:	Monday, January 16, 2012	Sheet	45	of	64

Right side USB Charger



Low Active 2A




CB	Function
L	auto detection charger identification active
H	DP/DM=TDP/TDM

USB2.0/3.0 choke and ESD diode at sub-B.


Right side USB3.0 port (Option)

AC CAP reserve on SUB/B



Right USB Conn.(Cable)


W=80mils




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	Audio B Conn/USB charger	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
				Date:	Monday, January 16, 2012	1.0
				Sheet	46	of 64

QIWIY3 LA-8001P

Bottom Side




NOVO_BTN# ON/OFFBTN#



EMI REQUEST 1ST = SCA00000E00
2ST = SCA00000R00


11/07 Change type to 0603



Security Classification		Compal Secret Data		Compal Electronics, Ltd. other IO connector		
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number	Rev
					QIYW3 LA-8001P	1.0
				Date:	Monday, January 16, 2012	Sheet 47 of 64


+5VALW TO +5VS

11/07 Change type to 0603




+3VALW TO +3VS

11/07 Change type to 0603




+1.5V to +1.5VS

11/07 Change type to 0603




+3VALW TO +3V_DSW


11/07 Change type to 0603





+3V_DSW to +3V_PCH +5VALW to +5V_PCH



09/05 add for Deep S3






+3VS to +3VS_VGA







For Intel S3 Power Reduction.

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/07/21	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				DC Interface	
Size	Document Number	Rev		QIWI3 LA-8001P	
Date	Monday, January 16, 2012	Sheet	48 of 64		


DC030006J00



Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2011/06/30	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Rev
				Document Number	1.0
				QIWW3	
				Date: Monday, January 16, 2012	Sheet 49 of 64




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/30	Deciphered Date	2012/12/31	BATTERY CONN/IOTP	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Rev 1.0
				Document Number QIWIY3	Date: Monday, January 16, 2012
				Sheet 50 of 64	



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/30	Deciphered Date	2012/12/31	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number
				Date	Rev
				Monday, January 16, 2012	1.0
				Sheet	51 of 64

Note:
Use TPS51125 IC can remove RTC refernece LDO
Use TPS51427 IC must keep RTC refernece LDO



+3.3VALWP I_{max}=7.5A ; I_{peak}=9A
1/2 Delta I=1.113A (F=375K Hz)
V_{trip}=0.169V
R_{ds(on)}=18m ohm(max) ; R_{ds(on)}=15m ohm(typical)
I_{limit_min}=0.169/18m=9.388A
I_{limit_max}=0.169/15=11.26A
I_{ocp}=I_{limit}+1/2Delta I=10.5A~12.373A


RT8205
T_{ONSEL}=V_{REF} (1) SMPS1=300KHZ (+5VALWP)
(2) SMPS2=375KHZ (+3VALWP)
TPS51125A
T_{ONSEL}=V_{REF} (1) SMPS1=245KHZ (+5VALWP)
(2) SMPS2=305KHZ (+3VALWP)

+5VALWP I_{max}=11.1A ; I_{peak}=13.32A
1/2 Delta I=1.33A (F=300K Hz)
V_{trip}=0.098V
R_{ds(on)}=7.0m ohm(max) ; R_{ds(on)}=5.1m ohm(typical)
I_{limit_min}=0.098/7m=14.03A
I_{limit_max}=0.098/5.1m=19.21A
I_{ocp}=I_{limit}+1/2Delta I=15.36A ~ 20.54A

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2010/06/30	Deciphered Date	2012/12/31	Title	3VALWP/5VALWP
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number QIWIY3
				Date	Monday, January 16, 2012
				Sheet	52 of 64
				Rev	1.0

Freq= 266~314KHz , 290KHz(typ)


Iocp=13.58A~23.10A




Security Classification				Compal Secret Data				Compal Electronics, Inc.	
Issued Date		2010/06/30		Deciphered Date		2012/12/31		Title	
								1.5VP/1.5VSP_VGA/1.05VSP_VGA	
Size		Document Number		Rev		1.0			
Custom		QIWIY3							
Date:		Monday, January 16, 2012		Sheet		53		of 64	

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.




output voltage adjustable network



The 1k PD on the VCCSA VIDs are empty. These should be stuffed to ensure that VCCSA VID is 00 prior to VCCIO stability.






GL1:0.9V(110000)
GT:0.975V(101010)



Layout Note:
Place near Phase1 Choke



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date		2011/06/30		Deciphered Date	
		2012/12/31		Title	
				VGA COREP	
				Size	
				Document Number	
				Rev	
				1.0	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
				QIWT3 LA-800IP	
				Date:	
				Monday, January 16, 2012	
				Sheet	
				56 of 64	





QC 45W CPU
VID1=0.9V
IccMax=94A
Icc_Dyn=66A
Icc_TDC=52A
R_LL=1.9m ohm
OCP-110A


DC 35W CPU
VID1=1.05V
IccMax=53A
Icc_Dyn=43A
Icc_TDC=36A
R_LL=1.9m ohm
OCP-65A



QC 45W GT2
VID1=1.23V
IccMax=46A
Icc_Dyn=37A
Icc_TDC=38A
R_LL=3.9m ohm
OCP-55A

DC 35W GT2
VID1=1.23V
IccMax=33A
Icc_Dyn=20.2A
Icc_TDC=21.5A
R_LL=3.9m ohm
OCP-40A


Security Classification		Compal Secret Data		Title	
Issued Date		Deciphered Date		CPU CORE	
2011/06/30		2012/12/31		QIWIY3	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.		Date		Monday, January 16, 2012	
Size		Document Number		Sheet	
D		QIWIY3		58 of 64	
Rev		1.0			



DC: PC73, PC74, PC76 (330uF/9m) + PC78 (330uF/6m)
 QC: PC73, PC74, PC75, PC76 (330uF/9m) + PC78 (470uF/9m)

PC8, PC21, PC22, PC63


+VCC_GFXCORE_AXG



PC38, PC39, PC40, PC41

Below is 458544_CRV_PDDG_0.5 Table 5-8.

Socket Bottom	5 x 22 μ F (0805) 5 x (0805) no-stuff sites
Socket Top	7 x 22 μ F (0805) 2 x (0805) no-stuff sites



PC32, PC49, PC54, PC55, PC56

Security Classification	Compal Secret Data			Compal Electronics, Inc.	
Issued Date	2011/06/30	Deciphered Date	2012/12/31	Title	PROCESSOR DECOUPLING
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size	Document Number QIWy3 LA-8001P
				Date	Monday, January 16, 2012
				Sheet	59 of 64
				Rev	1.0

Version change list (P.I.R. List)

Page 1 of 2
for PWR

Item	Reason for change	PG#	Modify List	Date	Phase
1	Reserve 0.1uF for Charger IC	51	Reserve PC321	2011/09/27	B test
2	EMI Request		change PR322,PR407,PR408,PR503,PR511,PR606,PR804,PR827 to 2.2 ohm add PC526,PC527,PC970,PC971(470pF)	2011/09/27	B test
3	Combine 1.05V	51	Remove one power rail +V1.05S_VCCPP Pop PR722,PR712,PR718	2011/09/27	B test
4	Discharge for +1.05VS_VGA by NV Request	53	Reserve PR528	2011/09/27	B test
5	Set VGA_CORE VBOOT voltage	56	unpop PR806 change PR813 to 147K ohm	2011/09/27	B test
6	For VGA_CORE power saving by NV Request	56	add PR838 0ohm	2011/09/27	B test
7	for CPU_CORE load line adjust	57	add PC969	2011/09/27	B test
8	to prevent MOS over temperature	55/58	change PQ702,PQ901,PQ902,PQ905 TPCA8065	2011/09/27	B test
9	for CPU_CORE test	59	Reserve PC77,PC78	2011/09/27	B test
10	for debug	51	add PR329,PR330	2011/11/30	C test
11	for VCCIO remote sense	55	add PR723	2011/11/30	C test
12	RC filter to reduce noise	55	add PR721,PC727	2011/11/30	C test
13	G718 for adapter and OTP	50	pop PC203,PQ201,PR209,PU201,PR213 unpop PR206	2011/11/30	C test
14	for CPU transient	58	change PR911,PR912 to 91K	2011/11/30	C test
15	for EMI Request		add PL301,PC503,PL504,PL801 add PC302,PC323,PC424,PC526,PC722,PC970,PC974	2011/11/30	C test
16	HW request	50 55	reserve connect PCH_PWR_EN for power sequence reserve connect CPU1.5V_S3_GATE for power sequence	2011/11/30	C test
17	for thermal request to reduce temperature	53	change PQ503,PQ504	2011/11/30	C test
18	adjust 1.5VSP_VGA OCP	53	change PR514 to 49.9K	2011/11/30	C test
19	For HW power sequence adjustment	50	change PR222,PR228 to NA change PR229 to 0 ohm	2011/12/02	C test
20	To adjust +5VALW by HW request	52	change PR404 to 19.6K	2011/12/16	C test
21	Using G718 to replace KB9012 function need to add or reserve resistor	50	Add PR232 and reserve PR233 pull high to +3VALW Add PR234 pull down	2011/12/28	Pre MP

Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2011/06/30	Deciphered Date	2012/12/31	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				PIR (PWR)
Size	Document Number	Rev		1.0
Custom	QIWWY3			
Date:	Monday, January 16, 2012	Sheet	60	of 64

Security Classification		Compal Secret Data		Compal Electronics, Inc.		
Issued Date	2011/06/30	Deciphered Date	2012/12/31	Title PIR (PWR)		
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Size Custom	Document Number QIYW3	Rev 1.0
				Date: Monday, January 16, 2012		
				Sheet 61 of 64		

QIWIY3 HW PIR List

NO	DATE	PAGE	MODIFICATION LIST	PURPOSE

				----- EVT TO DVT
1		P7	Reserve R64	Reserve EC DRAMRST control pin for Deep S3
2		P16	Reserve R1457, R1455, R1447	Reserve SUSACK#, SUSWARN#, SLP_SUS# control signal for Deep S3
3		P16	Reserve Q118, R1120, R1121	Reverse SLP_SUS# to control +3V_PCH&+5V_PCH
4		P16	Change AC_PRESENT Pull high source to +3V_DSW	For Deep S3 function
5		P21	Remove R289	+5V_PCH control circuit change for Deep S3
6		P36	Reserve J8, Q104, C533, C526, R436	Reserve for AOAC function
7		P36	Change JP1 pin2, 24, 52 power source to +3VS_WLAN_AOAC	Reserve for AOAC function
8		P42	Change EC GPIO pin setting (Impact pin 18, 71, 72, 126, 128)	For DeepS3/AOAC function
9		P48	Reserve J11, J14, Q148, Q149, C38, C39	+3V_PCH&+5V_PCH control circuit for Deep S3
10		P45	change U49 symbol (without GND pad)	For DFx issue
11		P46	change U40, U69 symbol (without GND pad)	For DFx issue
12		P47	change JP10 type to SP01001B800	For DFx issue
13		P19	Reserve R207, R224 to contact WLAN wake even	Reserve for AOAC function
14		P41	Change JSPK1 type to SP02000H700	For DFx issue
14		P19	Reserve R704 and R706 for GPIO69 PU&PD	For SKU ID
15		P23	Change CV37, CV38 to 22P	For Crystal EA request
16		P37	Change C968, C969 to 33P	For Crystal EA request

				----- DVT TO PVT
1		P14	Change power source to +5VS (Q10 pin 2)	Follow intel Design Guide
2		P16	Reserve R257 PU 10K to +3V_DSW	For Deep S3 function
3		P40	Change R1110 to 200K, C638 to 0.1u	For ODD soft star
4		P10	Change C124, C125, C126, C127, C130 to 0603 type	For command design
5		P20	Change C215, C221, C395 to 0603 type	For command design
6		P21	Change C231 to 0603 type	For command design
7		P33	Change C519 to 0603 type	For command design
8		P36	Change C568, C569 to 0603 type	For command design
9		P37	Change C937, C954, C953 to 0603 type	For command design
10		P39	Change C986 to 0603 type	For command design
11		P40	Change C634, C635, C639 to 0603 type	For command design
12		P41	Change C655 to 0603 type	For command design
13		P48	Change C836, C837, C839, C840, C847 C848, C856, C857 to 0603 type	For command design
14		P47	Change C906 to 0603 type	For command design
15		P47	Modify gate powr rail of MOS to +5VALW	Avoid leakage issue.
16		P45	Change U39 source to SA00004KB00	For main source issue
17		P46	Change U40, U69 source to SA00004KB00	For main source issue
18		P37	Add Q150, R145, C976	For LAN power control
19		P42	Reserve LAN_PWR_ON# net on EC pin 89	For LAN power control
20		P41	Stuff R945, R481 for EAPD contact U8 pin29	For MUTE_LED issue
21		P38	Add R90	For LAN SURGE CO-LAY
22		P38	Add R1380	Atheros request

QIWEY3 HW PIR List

NO	DATE	PAGE	MODIFICATION LIST	PURPOSE
1		P46	change JP21 type (SP010011A00)	For ASSY issue
2		P23	RV208 change to contact +VDD33MISC	For N13P-GT/N13E-GE shutdown issue
3		P23	Reserve RV14	For N13P-GT/N13E-GE +VDD33MISC leakage issue
4		P41	Swap HP R/L	For HP R/L reverse issue
5		P42	Add R1415, R1419	T/P SM BUS pull high voltage change

